
November 26, 1991

Mr. Ed Forsam
U.S. Department of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078



NOV 2 9 1991

DIVISION OF OIL GAS & MINING

RE:

River Bend Unit

Application for Permit to Drill

River Ben Unit 7-15E Section 15-T10S-R20E

CONFIDENTIAL

Gentlemen:

Enclosed please find original and two copies of the subject applications. Attachment to this application includes the following:

Attachment No. 1
Attachment No. 2
Attachment No. 3
Attachment No. 4
Attachment No. 4
Attachment No. 5
Attachment No. 5
Attachment No. 6
Attachment No. 6
Attachment No. 7

Location
Certification Statement
BOP Stack Schematic
Drilling Plan
13 Point Surface Use Plan
Water Source and Access Route
Water Permit

CNG PRODUCING COMPANY is requesting all information be held confidential.

It would be appreciated if this permit could be expedited since drilling is planned to begin on March 1, 1992.

Should you have any questions please feel free to contact either my sself at (504) 593-7739 or the project engineer, Doss Bourgeois at (504) 593-7719.

Very truly yours,

Susan M. Hebert,

Regulatory Reports Asst.II


Enclosure

cc: Utah Board of Oil, Gas & Mining

(November 19	1831	The state of the s		(Other instr		Budget Bureau No. 1004	4-0136		
(formerly 9-33	•	UNITED STATE	S	on revers	e side)	Expires August 31, 1985			
(,	•	DEPARTMENT OF	THE INTERIOR	₹		5. LEASE DESIGNATION	AND SERIAL NC		
		BUREAU OF LAND	MANAGEMEN	T		U-013766			
APPLIC	CATION FOR PERMI	T TO DRILL, DEEPE	N, OR PLUG B	ACK		6. IF INDIAN, ALLOTTEE	OR TRIBE NAME		
1a. TYPE OF		,	 						
	DRILL [X]	DEEPEN []	PLUG BACK []			7. UNIT AGREEMENT NA	AME		
b. TYPE OF	WELL					River Bend Unit			
OIL WELL	GAS WELL [X]	OTHER	SINGLE ZONE []	MULTIPLE	ZONE []	8. FARM OR LEASE NAM	AE .		
2. NAME OF	OPERATOR					RBU			
CNG P	RODUCING COMPA	NY				9. WELL NO.			
3 ADDRESS	OF OPERATOR			···	*	7-15E			
	ower, 1450 Poydras	St., New Orleans, L	A 70112-6000)		10. FIELD AND POOL, C	R WILDCAT IN 30		
	OF WELL (Report location				1ts.*)	1 Island Patryo			
At surface	1,450' FNL & 2,450' FEL	Sect. 15.T103.R19E S	JYE		,	11. SESC., T., R., M., OF			
A. 30	.,					AND SURVEY OR ARI			
At propose	d prod. zone								
Same						15-T10S-R19E			
	E IN MILES AND DIRECT	ON FROM NEAREST TO	WN OR POST OF	FICE*		12. COUNTY OR PARISH			
	es SW of Ouray					Uintah	Utah		
	E FROM PROPOSED*		16. NO. OF ACR	ES IN LEASI	17. NO. O	F ACRES ASSIGNED	<u> </u>		
	TO NEAREST				TOTHIS				
	Y OR LEASE LINE, FT.								
(Also to ne	arest drig, unit line if any) 2850 ⁻	480			80			
18. DISTANC	E FROM PROPOSED LO	CATION*	19. PROPOSED	DEPTH	20. ROTAR	RY OR CABLE TOOLS			
TO NEARE	EST WELL, DRILLING, CO	MPLETED.		\					
	ED FOR, ON THIS LEASE,		7.700	WSTC	Rota				
21. ELEVATION	ONS (Show whether DF, R	T, GR, etc.)				22. APPROX. DATE WORK WILL START			
	5,148' GR					March 1, 1992			
23.		PROPOSED CASING A				OLIANTITY OF OFILENT			
SIZE OF HOLE			SETTING DEPTH			QUANTITY OF CEMENT Cement to Surface			
12 1/4"	8 5/8"	24#	+/- 350'	`	··	Cement Calc to Surf	200		
7 7/8"	5 1/2"	17#	+/-7,700				ace		
1. Drill a 1:	2 1/4″ hole with an a	ir rig to +/-400', run	8 5/8", H-40 d	casing an	d cement	to surface.			
2. NU and	pressure test BOP s	tack (Attach #2) prio	r to drilling out	below su	rface pipe) .			
3. Operate	pipe rams daily and	blind rams as poss	ible.						
4. Drill a 7	7/8" hole to 7,700' v	vith a salt water muc	i system. Cori	ng is poss	ible. DST	l's will be run as			
needed	to evaluate unexpe	cted shows.	·			किलिलाला	77		
	s, set 5 1/2", 17#, N		s dictated by d	rilling sho	ws, tests,	and lops Casing			
program	m may be modified to	provide added bur	st strength if ne	eded for	frac progr	am.			
6 Primary	zones of interest are	the Wasatch, Char	ita Wells & Ute	land Butt	es.	NOV 2 9	1001		
7 All zone	s indicating potential	for economically re	onverable rese	rves will t	e tested i	in a normal.	1771		
	t manner.								
	vent circulation is los	t air ar air accietad	mud will ha uti	lizad		DIVISION	I OF		
8. In the e	vent changman is ios	i, all of all assisted	IIIda Wiii be dii	necu.		OIL GAS & A	MINING		
FORMATIC	ON TOPS	DEPTHS				_			
Wasatch		4800				CONFIDENTIA	1		
Chapita We	ells	5450				COMPINE IN LIA	L		
Uteland Buttes 6550									
CNG Produ	cing respectfully reg	uest that all informa	tion concerning	n this well	he held c	onfidential.			
IN ABOVE SP	ACE DESCRIBE PROPOS	SED PROGRAM: If propo	sal is to deepen o	r plug back, data an sub	give data o	n present productive zone ations and measured and t	ana proposea		
	preyenter program, if any		my, give perment	data on son	Surface focu				
24.		<u> </u>			APPE	OVER BY THE S	TATE		
SIGNED	X Mak 150	made	TITLE	Supervis	or, Driffino	HENGLH DIVISION	C)#/26/91		
	Doss R. Bourgeois		-		Oll	GAS AND MIN			
(This space fo	or Federal pr State office u	ıse)			DATE:	17-9-9	7		
PERMIT NO.	12 0.17		APPROVAL DATE		CATE:	1500	10.10		
PROVED BY			TITLE		1/1/1	SMI JUTA	and a		
	ONS OF APPROVAL, IF AN	IY:	_		MILL	SPACING: 6/5-	2-3		
201101110	<u>.</u>			•					

CNG PRODITION CO. WELL LOCATION PLAT RBU 7-15E

LOGGTED IN THE SWE OF THE NEE OF SECTION 15, TIOS, RISE, S.L.B.&M.



LEGEND & NOTES

◆ Original monuments found and used by this survey.

The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S map.

SURVEYOR'S CERTIFICATE

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

> Jerry D. Mired, Registered Land Burveyov, Cert. No. 3817 (Utah)



JERRY D. ALLRED & ASSOCIATES
Surveying & Engineering Consultants

121 North Center Street P.O. Drawer C DUCHESNE, UTAH 84021 (801) 738-5352

DRILLING PLAN APPROVAL OF OPERATIONS

November 26, 1991

Attachment for Permit to Drill

Name of Operator: CNG PRODUCING COMPANY

Address:

CMG TOWER - 1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

WELL LOCATION:

Well No. 7-15E

Uintah, Utah

1. GEOLOGIC SURFACE FORMATION

Uintah

2. ESTINATE IMPORTANT GEOLOGIC MARKERS

Formation	<u>Depth</u>
Wasatch Tongue	4200'
Green River Tongue	4550′
Wasatch	4800'
Chapita Wells	5 4 50′
Uteland Buttes	6550 <i>°</i>

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS

<u>Formation</u>	<u>Depth</u>	Remarks
Wasatch Tongue	4200′	Oil Zone
Chapita Wells	5450'	Gas Zone
Uteland Buttes	6550′	Gas Zone

4. PROPOSED CASING PROGRAM

8-5/8", 24#/ft, H-40, 0'-350' - Cemented to Surface 5%", 17#/ft, N-80 & K-55, 0'- 7700' - Cemented to Surface

5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

BOP stack has a 3000 psi working pressure. BOP will be pressure tested to 2,700 psi before drilling casing cement plug. Pipe rams will be operated daily and blind rams as possible.

6. The well is to be drilled with a Potassium Chloride mud system maintaining a weight of approximately 9#/gal.

River Ben Unit 7-15E November 26, 1991

CONFIDENTIAL

7. AUXILIARY EQUIPMENT TO BE USED

- 1. Kelly Cock.
- Full opening valve on floor with DP connection for use when Kelly is not in string.
- Pit volume totalizer equipment will be used.

8. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

A mud lagger will be used from 3,500° to TD. Possible DST in Wasstch Tongue. The lagging program will include Dual Lateral/GR log TD to Surface, Density/Neutron - TD - 3,500° possible dipmeter and rotary cores over selected intervals.

9. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

No normal pressures are anticipated nor is the area known for abnormal temperatures. The formations to be penetrated do not contain H₂S gas. The anticipated bottom hole pressure is 2,610 PSI.

10. WATER SUPPLY

- A. Water to be used for drilling will be hauled from CNG's OSC #1 well located in Section 17-T1OS-R2OE. Application #54801 User's Claim Code #49, Serial #801.
- B. No pipelines are anticipated. Hauling will be on the road(s) shown in Attachment No. 3.
- C. No water well is anticipated to be drilled at this time.

11. CEMENT SYSTEMS

Tail Slurry - 335 sk RFC 10-0 (thixotopic).

12. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date: March 1, 1992

Duration: 20 Days

Date	NOS	Received:	

CONDITIONS OF APPROVAL FOR THE SURFACE USE PROGRAM OF THE APPLICATION FOR PERMIT TO DRILL

CONFIDENTIAL

Compan	y/Operator: CNG PRODUCING CUMPANY
Well N	ame & Number: RBU 7-15F
Lease	Number:U-013766
Locati	on: <u>SW/4 of NE/4</u> Sec. <u>15</u> T. <u>10S</u> R. <u>19E</u>
Surfac	e Ownership: Bureau of Land Management
	NOTIFICATION REQUIREMENTS
Location Constru	ction - forty-eight (48) hours prior to construction of location and access roads.
Location Complet	ion - prior to moving on the drilling rig.
Spud Notice	 at least twenty-four (24) hours prior to spudding the well.
Casing String an Cementing	 d - twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and Related Equipment Tests	 twenty-four (24) hours prior to initiating pressure tests.
First Production Notice	 within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

B. THIRTEEN POINT SURFACE USE PROGRAM:

Multipoint Requirement to Accompany APD

- Existing Roads describe the following and provide a legible map, labeled and showing:
 - a. Proposed wellsite as staked and access route to location, including distances from point where access route exists establish roads. (Actual staking should include tow directional reference stakes.)
 - b. Route and distance from nearest town or locatable reference point, such as a highway or county road, to where well access route leaves main road.
 - c. Access road(s) to location color-coded or labeled.
 - d. Plans for improvement and/or maintenance of existing roads. (Appropriate rights-of-way for off lease roads should be attached.)
- - e. Drainage design <u>Bar Pits</u>
 - f. Location and size of culverts and/or bridges, and brief description of any major cuts and fills None
 - g. Surfacing material (source) Native
 - h. Necessary gates, cattleguards, or fence cuts and/or modification to existing facilities None

(New or reconstructed roads are to be centerline-flagged at time of location staking.)

All travel will be confined to existing access road rights-of-way.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30 foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided.

 Right-of-Way Application needed.						
 The operator/lessee or his/her successor shall be responsible for all maintenance on cattleguards or gates associated with this oil and/or gas operation.						

- 3. Location of Existing Wells describe the following and provide a map or plat of all wells within a 1 mile radius of the proposed well location showing and identifying existing:
 - a. Water wells
 - b. Abandoned wells
 - c. Temporarily abandoned wells
 - d. Disposal vells
 - e. Drilling wells
 - f. Producing wells
 - g. Shut-in wells
 - h. Injection wells

4. Location of Existing and/or Proposed Facilities

- a. On well pad: Show the following existing area facilities and dimensions to be utilized if the well is successfully completed for production (detail painting plans and color if applicable):
 - (1) Tank batteries
 - (2) Production facilities
 - (3) Oil gathering lines
 - (4) Gas gathering lines
 - (5) Injection lines
 - (6) Disposal lines
 - (7) Surface pits (separate application per NTL-2B requirements)

(Indicate if any of the above lines are buried.)

- b. Off well pad: Same as above. Off lease flowlines may require rights-of-way or special use permits, check with the District Office Realty Specialist. (Include a diagram of the proposed attendant lines, i.e., flowlines, powerlines, etc., if off well pad location.)
 - (1) Proposed location and attendant lines shall be flagged off of well pad prior to archaeological clearance.
 - (2) Dimensions of facilities
 - (3) Construction methods and materials
 - (4) Protective measures and devices to protect livestock and wildlife

Note: Operator has option of submitting information under 4A and B, after well is completed for production, by applying for approval of subsequent operations.

If storage facilities/tank batteries are constructed on this lease, the facility/battery or the well pad shall be surrounded by a containment dike of sufficient capacity to contain, at a minimum, the entire content of the largest tank within the facility/battery, unless more stringent protective requirements are deemed necessary by the authorized officer.

Tank	batteries	vill	be	placed	on	the	West	side		
	. 								 	

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match on of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

The	required	paint	color	is	Desert Tan

If at any time the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), BLM will process a change in authorization to the appropriate statute. The authorization will be subject to appropriate rental or other financial obligation as determined by the authorized officer.

5. Location and Type of Water Supply

CONFIDENTIAL

- a. Show location and type of water supply, either by 1/4, 1/4 section on a map or by written description OSC #1
- b. State method of transporting water, and show any roads or pipelines needed.
- c. If water well is to be drilled on lease, so state.

*The operator will be responsible for acquiring the necessary permit to obtain water to be used for drilling activities.

6. Source of Construction Materials

- a. Show information either on map or by written description -
- b. Identify if from Federal or Indian (tribal or allotted) land.
- c. Describe where materials such as sand, gravel, stone, and soil material are to be obtained and used.
 - *If fill materials are needed to construct roads or well sites, proper permits must be obtained from the Surface Management Agency, unless materials are obtained from a private source.
 - *A mineral materials application (is/is not) required.

7. Methods of Handling Waste Disposal

- a. Describe methods and location of proposed safe containment and disposal of each type of waste material, including:
 - (1) Cuttings bury in pit
 - (2) Sewage haul to sewer lagoon
 - (3) Garbage (trash) and other waste material haul to disposal
 - (4) Salts not used
 - (5) Chemicals non-toxic only; evaporate in pits
- b. Provide a plan for eventual disposal of drilling fluids and any produced oil or water recovered during testing operations.

*Burning will not be allowed. All trash must be contained in a trash cage and hauled away to an approved disposal site at the completion of the drilling activities.

On BLM administered lands:

The reserve pit shall be constructed so as not to leak, break, or allow discharge.

The reserve pit (shall/shall not) be lined with 12 mill plastic.

"If a plastic nylon reinforced liner is used, it will be a minimum of 10 mil thickness with sufficient bedding (either straw or dirt) to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. More stringent protective requirements may be deemed necessary by the A.O."

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.

On BIA administered lands:

All reserve pits will be lined with either native clay, commercial bentonite or plastic sufficient to prevent seepage. (If a plastic nylon reinforced liner is used, it shall be torn and perforated after the pit dries and before backfilling of the reserve pit.)

___ To protect the environment.

If the reserve pit is lined the operator will provide the BLM a chemical analysis of the fluids in that pit no later than 90 days after the well completion to determine the method for final reclamation of the reserve pit. If the elemental concentrations shown by the chemical analysis exceeds the requirements described by Part II, Standards of Quality for Waters of the State, Wastewater Disposal Regulations, State of Utah Division of Health, the contents and liner will be removed and disposed of at an authorized disposal site.

X To protect the environment (without a chemical analysis).

Reserve pits will be constructed so as not to leak, break, or allow discharge of liquids.

Storage tanks will be used if drill sites are located on tribal irrigable land, flood plains, or on lands under crop production.

After first production, produced waste water will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90 day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with required water analysis, shall be submitted for the AO's approval. Failure to file an application within the time allowed will be considered an incident of noncompliance.



8. Ancillary Facilities

Camp facilities or airstrips will not be allowed unless otherwise approved.

- 9. Well Site Layout -- provide a plat (not less than 1 = 50') showing:
 - a. Cross-sections of proposed drill pad with approximate cuts and fills and the relation to topography.
 - b. Location of mud tanks, reserve, and flare pits, pipe racks, living facilities, and soil material stockpiles, etc. (Approval as used in this section means field approval of location.)
 - c. Rig orientation, parking ares, and access roads, etc.

The reserve pit will be located	on the : Northeast corner
on the East	wind of the prevailing wind direction ell head and 30 feet from the reserve
	our inches) will be stored on the:
Access to the well pad will be i	rom the: West side
Diversion ditch(es) shall be conside of the location (above / bo	nstructed on the
	shall be placed on the
The drainage(s) shall be diverte side(s) of the well pad location	ed around the
	ation shall be constructed long and
The corner of avoid the	the well pad will be rounded off to

Fencing Requirements

- All pits will be fenced according to the following minimum standards:
 - a. 39-inch net wire shall be used with at least one stand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).



- b. The net wire shall be no more than 2-inches above the ground. The barbed wire shall be 3-inches above the net wire. Total height of the fence shall be at least 42-inches.
- c. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three sides during drilling operations and on the fourth side when the rig moves off the location. Pits will be fenced and maintained until clean-up.

Each existing fence to be crossed by the access road shall be braced and tied off before cutting so as to prevent slacking of the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM or SMA specifications. A cattleguard with an adjacent 16 foot gate shall be installed in any fence where a road is to be regularly travelled. If the well is a producer, the cattleguard (shall/shall not) be permanently mounted on concrete bases. Prior to a new road, crossing any fence located on federal land, or any fence between federal land and private land, the operator will contact the BLM, who will in turn contact the grazing permittee or owner of said fence and offer him/her the opportunity to be present when the fence is cut in order to satisfy himself/herself that the fence is adequately braced and tied off.

10. Plans for Restoration of Surface

a. Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 6 months from the date of well completion. Before any dirt work takes place, the reserve pit must be completely dry and all cans, barrels, pipe, etc., will be removed.

-JNFIDENTIAL

Contact appropriate surface management agency for required seed mixture.

b. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and BLM will attach the appropriate surface rehabilitation conditions of approval.

On BIA administered lands:

Abandoned well sites, roads, or other disturbed areas will be restored to near their original condition. This procedure will include: (a) re-establishing irrigation systems where applicable, (b) re-establishing soil conditions in irrigated fields in such a way as to ensure cultivation and harvesting of crops and, (c) ensuring revegetation of the disturbed areas to the specifications of the Ute Indian Tribe or the BIA at the time of abandonment.

11.	Surface	Ownership:
-----	---------	------------

Access Road:	
Location:	

"If the access road and/or location involves private or state agency owned surface, a copy of the surface owners agreement is required prior to approval of the APD."

12. Other Additional Information

- a. The Operator is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator is to immediately stop work that might further disturb such materials, and contact the authorized officer (AO). Within five working days the AO will inform the operator as to:
 - -whether the materials appear eligible for the National Register of Historic Places;
 - -the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
 - -a time frame for the AO to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the AO are correct and that mitigation is appropriate.

If the operator wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the AO will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, the operator will be responsible to mitigation costs. The AO will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the AO that required mitigation has been completed, the operator will then be allowed to resume construction.

- b. The operator will control noxious weeds along right-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM, or the appropriate County Extension Office. On BLM administered land it is required that a Pesticide Use Proposal shall be submitted, and given approval, prior to the application of herbicides or other pesticides or possible hazardous chemicals.
- c. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)

On BIA administered land:

Operator's employees, including subcontractors, will not gather firewood along roads constructed by operators. If wood cutting is required, a permit will be obtained from the Forestry Department of the BIA pursuant to 25 CFR 169.13 "Assessed Damages Incident to Right-of-Way Authorization". All operators, subcontractors, vendors and their employees or agents may not disturb salable timber (including firewood) without a duly granted wood permit from the BIA Forester.

If the surface rights are owned by the Ute Indian Tribe and mineral rights ar owned by another entity, an approved rights-of-way will be obtained from the BIA before the operator begins any construction activities. If the surface is owned by another entity and the mineral rights are owned by the Ute Indian Tribe, rights-of-way will be obtained from the other entity.

All roads constructed by operators on the Uinta and Ouray Indian Reservation will have appropriate signs. Signs will be neat and of sound construction. They will state: (a) that the land is owned by the Ute Indian Tribe, (b) the name of the operator, (c) that firearms are prohibited to all non-Ute Tribal members, (d) that permits must be obtained from the BIA before cutting firewood or other timber products and (e) only authorized personnel permitted.

All well site locations on the Uinta and Ouray Indian Reservation will have an appropriate sign indicating the name of the operator, the lease serial number, the well name and number, the survey description of the well (either footages or the quarter-quarter section, the section, township, and range).

Additional Surface Stipulations

	No construction or drilling activities shall be conducted between and because of
	No surface occupancy will be allowed within 1,000 feet of any sage grouse strutting ground.
	No construction or exploration activities are permitted within 1.5 mile radius of sage grouse strutting grounds from April 1 to June 30.
	There shall be no surface disturbance within 600 feet of live water (includes stock tanks, springs, and guzzlers).
	No cottonwood trees will be removed or damaged.
<u>x</u>	A silt catchment dam and basin will be constructed according to BLM specifications approximately ftnorthwest of the location, where flagged.
13.	Lessee's or Operators Representative and Certification
	Representative
	Name:
	Address:
	Phone No:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished the field representative to insure compliance.

A complete copy of the approved APD and ROW grant, if applicable, shall be on location during construction of the location and drilling activities.

The operator or his/her contractor shall contact the BLM Office at (801) 789-1362 forty-eight (48) hours prior to construction activities.

The BLM Office shall be notified upon site completion prior to moving on the drilling rig.

Certification:

inspected the proposed drillsite a the conditions which currently exist are true and correct to the best	sons under my direct supervision, have nd access route; that I am familiar with st; that the statements made in this plant of my knowledge; and, that the work sposed here will be performed by
CNG Producing Company	and its
contractors and subcontractors in	conformity with this plan and the terms
and conditions under which it is	approved. This statement is subject to
the provisions of 18 U.S.C. 1001 f	for the filing of a false statement.
November 26, 1991 Date	Doss R. Bourgeois Supervisor, Drlq. Eng. Name and Title
Onsite Date: November 21, 1991	
Participants on Joint Inspection	
Greg Darlington	National Res. Prot. Spec.
Darwin Kulland	Manager Production
Karl Wright	National Res. Prot. Spec.
Frank Dudley	National Res. Prot. Spec.

Located in the SW12 of the NE14 of CNG PRODUCING CO Section 15, TIOS, RIPE, S.L.B. & M. WELL LAYOUT PLAT RBU 7-15E 100 east rulate 95" C64 (3) (4)C78 Reserve <u> varantılı**700**'nı ricalılı</u>jı Pit RESERVE 1"= 50 PIT STA 3+00 CO-FROM GROUND And are dinatary? ELEV OF 5/48 HOPPER क्षेत्र स्थापन क्षाप्रसम्बद्धातिक । जन्म TO FINISHED LOCATION ELEV OF 5/48 B' DEEP व ।।।। पन्ना विद्यान । ।।।। 5TA 1+60 Reserve (5) C1<u>5</u> DOG HOUSE Pit FLARE PIT PIPE RACK5 EXCAVATION MATERIAL STA 1160 STOCKPILE PARKING AREA 0474 TOPSONL STOCKPILE 8 CO4 JTA 0+00 C7-(7) 1250 5TA. 0+00 APPROXIMATE QUANTITIES CUT: 12,700 yd' (includes pit) JERRY D. ALLRED & ASSOCIATE Surveying & Engineering Consultants FILL: 2,000 yd1 121 North Center Street


20 Nov '91


79-128-197

201

P.O Drawer C DUCHESNE, UTAH 84021

(801) 738-5352





	Trons explainably master, but when accounty, a committee of the property of th
Utal	a. for uses indicated by (X) in the proper box or boxes, application is been been been been been been been bee
Eng	a. for uses indicated by (X) in the proper box or boxes, application is hereby made to the State of incers, based upon the following showing of facts, submitted in accordance with the requirements of Laws of Utah.
the	Laws of Utah.
1.	Injurion C. D
_	Irrigation Domestic Stockwatering Municipal Power Mining Other Uses M
2.	The name of the applicant is MAPOD Too Production Co.
3.	The Post Office address of the state of the
.4	The Post Office address of the applicant is P.D. Box 1360 Posseveit Which 84065
	remarks of water teme appropriated 015
5.	The water is to be used for Off Mall The VI.
	Maior II
	other use period. (Day) (Month) (Day)
	The state of the s
	(Manage Full Paris)
	Toward Exch year (it stored) from
_	AAA
6.	The drainage area to which the direct source of supply belongs is
7.	The direct source of supply is 11 Underground water from Green River Formation
	print water from Green River Formation
	which is tributary to(Name of atream or other source)
	*Note The Tributary to
first	disease and the second
ursa	and the remaining spaces should be left blank. If the source is a stream, a spring, a spring area, or a drain, so indextround Weise" in the capture its name, at names, and in the remaining spaces, designate the stream channels to which it is tributary, even though the water tred, the direct source should be designated as a stream and not a spring flows in a natural surface channel before being. The point of diversion from the source is in I water he
OT SEC	the direct source should be designated as a street countries. If water from a spring flows in a natural surface should be designated as a street countries for the street countries and the street countries are street countries.
8.	The point of diversion from the source is in Hintah County signated as a point.
	Conter SF of NV Secrion 17710 s R20 E County, situated at a point*
	3. 1800' W. 660' NK CO.
	D. M. Ma Ca.
	B miles S. Owny
West	*Note.—The point of diversion must be located definitely by course and distance or by giving the distances north or south, and east or greater distance. to some prominent and permanent of United States moneral monament, if within a distance of its most of distance of di
46 4	with reference to a United States land survey corner or United States moneral monument, if within a distance north or south, and east or greater distance, to some previous and survey corner or United States moneral monument, if within a distance of six miss of either, or if mon us not defined definetaly. The diversion and or distance or the south of the
dive	mon is not defined definitely.
9.	The diverting and carrying works will consist of A 7 5/8" well and 2500' deep
	21 3/8 Well and 2500 deep
10	If tuesco in a h
10.	If water is to be stored, give capacity of reservoir in acre-feet
_	ees and the
. <u></u>	EC 17 Tios Rao E Rab E
11.	If application is for irrigation
	If application is for irrigation purposes, the legal subdivisions of the area irrigated are as follows:
•	
12.	Is the land owned by the applicant? Yes No y If "No," explain on page 2.
1 0	No y If "No," explain on page 2.
13.	The state of the s
14.	If application is for power purposes, describe type of plant, size and rated capacity.
	purposes, describe type of plant, size and rated canacity.
1.5	TF.
15.	If application is for mining, the water will be used in Mining District at
	Wine subsection of the
16.	theMining District atMining District at
	If application is for domestic.
1.2	The state of the s
	t producting purposes number of a
18.	If application is for municipal purposes
	If application is for military municipality.
	If application is for other uses, include general description of proposed uses Drilling Riverbend Unit weil by MAPOD. 17 + 10 5 8/94 10 5
	Unit well by MAPOD. 177 + 10 5 R19+ 20 E Give place of use by legal subdivision of the United States.
20.	Give place of use by legal subdivision of the-United States Land Survey for all uses described in paragraphs 14 to 19, incl.
	graphs 14 to 19, incl or the United States Land Survey for all uses described in para-
	graphs 14 to 19, incl graphs 15 to 19, incl graphs 16 to 19, incl graphs 17 to 19, incl graphs 18 to 19, incl graphs 18 to 19, incl graphs 19 to
21	
21.	The use of water as set forth in this application will consume seed . 015 recond feet and/or nere-
	feet of water and second feet and/ or acre feet will be returned to the natural stream or source at a point described as follows:
	stream or source at a point described as follows:

Attachment No.

ar .	_\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	t and has t	heir approva			
	the	A 1 40			· · · · · · · · · · · · · · · · · · ·	
	Ter	En se		USE / · Fa - ¹	the exc	<u> </u>
			ω ./ λ	1. FE F	STOCK W	A-Tering
			-			
				·		
						
						
	***				······	
 -						
						· · · · · · · · · · · · · · · · · · ·
						
					*.	
			<u> </u>			
	.					
	••					
			•		± -#*	
						······································
						
		(176	in name 4 if add	tionai explanator		
	The	quantity of v	vater sought to	be appropriate	d is limited to that whi	ch
		can be be	nericially used	for the purpos	e herein described	<u>-</u>
				Dare	in Kullow	1 some
					Signature of Applican	
be list	ed. If a corpor	TRUCK OF TREET	a the pateneranin	n, signature must by one of the par t below need not i suid accompany th	be the name of such corpor thers, and the names of the be filled in. If there is more a Application.	ation or organiz other partners othen one appi
			DECLARATI	ON OF CITIZI	ENSHIP	
STAT	E OF UTÂH.	/a)	-			
		,	•1			
O no tar y or hai	n the y public for the deciared his ir	State of Utah.	of	nt who, on oath,	lociared that he is a citizen	speared before of the United S
My ec	mmission expir	:es:			and the same	
au	9 7,1952	? .		_	And inter	11/11
		(SEAL)			Notary Public	4.41.2
•						
	_				· · · / ///////////	
	•			•	1/2/1/1/N	

SELF-CERTIFICATION STATEMENT

Self-certification statement. Under the Federal regulation in effect as of June 15, 1988 designation of operator forms are no longer required when the operator is not the 100% record title holder. An operator is now required to submit a self-certification statement to the appropriate Bureau office stating that said operator has the right to operate upon the leasehold premises. Said notification may be in the following format:

*Please be advised that <u>CNG Producing Company</u> is considered to be the operator of Well No. 7-15E SW 1/4 of NE 1/4 Section 15, Township 10, Range 19; Lease U-013766 Uintah County, Utah; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by <u>American Casualty Company of Reading</u>, PA, Bond #524 7050.

R. S. Gloger

Drilling Manager

Form 3160-5

UNITED ES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

JRM APPROVED

BUDGET BUREAU NO. 1004-0135

EXPIRES: MARGH 31, 1993

5. Lease Designation and Serial No. U-013766

SUNDRY NOTICES	AND I	REPORTS	ON WELLS
----------------	-------	---------	----------

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMITS" for such proposals SUBMIT IN TRIPLICATE

If Indian, Allottee or Tribe Name

1. Type of Well	1004 a a 4004	7. If Unit or GA, Agreement Designation
[] Oil Well [X] Gas Well [] Other	NOV 2 9 1991	River Bend Unit
2. Name of Operator		8. Well Name and No.
CNG PRODUCING COMPANY	DIVISION OF	7-15E
3. Address and Telephone No.	OIL GAS & MINING	9. API Well No.
CNG Tower - 1450 Poydras Street, New O	rleans, LA 70112-6000	
4. Location of Well (Footage, Sec., T., R., M.,		10. Field and Pool, or Exploratory Area
Surface - 2,450' FEL and 1,450' FNL of Se		Island
		11. County or Parish, State
		Uintah, Utah
CHECK APPROPRIATE BOX(9	6) TO INDICATE NATURE OF N	IOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYF	E OF ACTION
[] Notice of Intent	[] Abandonment	[] Change of Plans
••	[] Recompletion	[] New Construction
[X] Subsequent Report	[] Plugging Back	[] Non-Routine Fracturing
	[] Casing Repair	[] Water Shut-Off
[] Final Abandonment Notice	[] Altering Casing	[] Conversion to Injection
••	[X] Other - Variance	[] Dispose Water
	in casing	(Note: Report results of multiple
	_	completion on Well Completion or
		Recompletion Report and Log form.)
13 Describe Proposed or Completed Operation	ns (Clearly state all pertinent d	etails, and give pertinent dates, including

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to the work.)*

Under Onshore Order #2, casing and cementing requirements, it states "All casing, except the conductor casing, shall be new or reconditioned and tested used casing that meets or exceeds API standards for new casing" the 8 5/8" 24# H-40 surface casing designed for this well and other wells in the River Bend Unit meets all of the above criteria for the order. The 8 5/8" casing is a limited service pipe which means it does not meet API standards. However, the pipe is new and was Hydro statically tested to 2,700 PSI which equals API standards for 8 5/8" 24# K-55 casing.

We respectfully submit this sundry and attached letter from the company the pipe was purchased from.


If any additional information is needed, please advise.

CONFIDENTIAL


		OUNTIDENTINE	
14. I hereby certify that the forgoing is tru	and correct		
Signed On Bound	tle Supervisor, Drilling Eng.	Date November 26, 1991	
Doss R. Bourgeois (This space for Federal or State office)			
Approved byT	tle	Date	
Conditions of approval, if any:			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BOP STACK



CHOKE MANIFOLD



CONFIDENTIAL



State of Utah

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

December 9, 1991

CNG Producing Company CNG Tower - 1450 Poydras Street New Orleans, Louisiana 70112-6000

Gentlemen:

Re: RBU 7-15E Well, 1450 feet from the north line, 2450 feet from the east line, SW 1/4 NE 1/4, Section 15, Township 10 South, Range 19 East, Uintah County, Utah

Pursuant to Utah Code Ann. § 40-6-18, (1953, as amended), Utah Admin. R. 615-2-3, and Utah R. 615-3-4, approval to drill the referenced well is hereby granted.

In addition, the following specific actions are necessary to fully comply with this approval:

- 1. Compliance with the requirements of Utah Admin. R. 615-1 et seq., Oil and Gas General Rules.
- 2. Compliance with Utah Admin. R. 615-3-7, Well Control and Utah Admin. R. 615-3-13 Casing Tests, specifically regarding BOP equipment and surface casing testing procedures.
- 3. Notification within 24 hours after drilling operations commence.
- 4. Submittal of Entity Action Form, Form 6, within five working days following commencement of drilling operations and whenever a change in operations or interests necessitates an entity status change.
- 5. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 6. Prompt notification prior to commencing operations, if necessary, to plug and abandon the well. Notify Frank R. Matthews, Petroleum Engineer, (Office) (801)538-5340, (Home) (801)476-8613, or R.J. Firth, Associate Director, (Home) (801)571-6068.

Page 2 CNG Producing Company RBU 7-15-E Well December 9, 1991

7. Compliance with the requirements of Utah Admin. R. 615-3-20, Gas Flaring or Venting, if the well is completed for production.

Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site should be submitted to the local health department. These drilling operations and any subsequent well operations should be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Department of Environmental Quality, Division of Drinking Water/Sanitation, telephone (801)538-6159.

This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date. The API number assigned to this well is 43-047-32166.

Sincerely,

Associate Director, Oil and Gas

ldc

Enclosures

cc: Bureau of Land Management

J.L. Thompson

WOI1

Form 3160-5

UNITED 'TES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

(This space for Federal or State office use)

Conditions of approval, if any:

Approved by

ORM APPROVED

TOUDGET BUREAU NO. 1004-0135

EXPIRES: MARCH 31, 1993

	5. Lease Designation and Serial No.				
SUNDRY NOTICES AND REPORTS	U-013766				
Oo not use this form for proposals to drill or to o	6. If Indian, Allottee or Tribe Name				
different reservoir. Use "APPLICATION FOR P					
SUBMIT IN TRIPLICATE					
I. Type of Well		7. If Unit or CA, Agreement Designatio			
[] Oil Well [X] Gas Well [] Other		River Bend Unit			
2. Name of Operator		8. Well Name and No.			
CNG PRODUCING COMPANY		7-15E			
3. Address and Telephone No.		9. API Well No.			
CNG Tower - 1450 Poydras Street, New Or					
4. Location of Well (Footage, Sec., T., R., M., o	• •	10. Field and Pool, or Exploratory Area			
Surface - 2,450' FEL and 1,450' FNL of Se	c. 15-T10S-R19E	Island			
		11. County or Parish, State			
OUTOV ADDOODDIATE DOVIO	TO MOVELE MATURE OF M	Uintah, Utah			
		OTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION		E OF ACTION			
[] Notice of Intent	[] Abandonment	[] Change of Plans			
M101	[] Recompletion	[] New Construction			
[X] Subsequent Report	[] Plugging Back	[] Non-Routine Fracturing			
	[] Casing Repair	[] Water Shut-Off			
[] Final Abandonment Notice		[] Conversion to Injection			
	[X] Other – Amend Drilling	[] Dispose Water			
	Permit	(Note: Report results of multiple			
		completion on Well Completion or			
		Recompletion Report and Log form.)			
Describe Proposed or Completed Operatio	ns (Clearly state all pertinent d	etails, and give pertinent dates, including			
estimated date of starting any proposed wor		, give subsurface locations and measure			
and true vertical depths for all markers and	zones pertinent to the work.)*				
CNG Producing Company respectfully reque	est that the drilling permit for th	e above referenced well be amended			
to reflect surface casing set at a depth of 35					
If you have any questions or need any addit	tional information, please feel f	ree to contact Sue Hebert			
at (504) 593-7260.		RECEIL			
		197 January 1			
		DE0 0 0 100			
ر المراجع	2-01	DEC 0 9 1991			
300	7-11				
	Jankus	DIVISION OF			
/		OIL GAS & MINING			
I hereby certify that the forgoing is true and	d correct	· · · · · · · • •			
(i 66					
Signed Landon Title	Supervisor, Drilling Eng. Date	December 3, 1991			
Doss R Bourgenis					

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter WRHIH HS JUHSHIGHHH.

Date

Title

Form 3150~3 (November 1985 (formerly 9–331		UNITED STATE	ES	SUBMIT IN (Other instru- on reverse	٠	Form approved. Budget Bureau No Expires August 31	
		DEPARTMENT OF				5. LEASE DESIGNATION AND SERIAL N	
		BUREAU OF LAND				U-013766	
		T TO DRILL, DEEPE	EN, OR PLUG B	ACK		6. IF INDIAN, ALLO	TTEE OR TRIBE NAM
1a. TYPE OF W	ORK DRILL [X]	DEEPEN []	PLUG BACK []			7. UNIT AGREEME	
b. TYPE OF W	ELL					River Bend	
OIL WELL	GAS WELL [X]	OTHER	SINGLE ZONE []	MULTIPLE Z	ONE	8. FARM OR LEAS	E NAME
2. NAME OF O		****				RBU	
	ODUCING COMPA	NY				9. WELL NO.	
3. ADDRESS O		Ca. Nav. Orlanda I	A 70118 2000	CHAIR CO.	Fig. 3.5-3	7-15E	O1
4 LOCATION A	NELL (Desertes	St., New Orleans, L on clearly and in accorde	A /VIII A PORT			10. FIELD AND PO	OL, OR WILDCAI
	,450' FNL & 2,450' FEL			requirements		11. SESC., T., R.,	M., OR BLK.
	,		[1	AH 0 3 19		AND SURVEY O	•
At proposed	prod. zone	10 - 10 0 - 11	•	144 C C C	• • •		
Same	<u> </u>	13-047-2216	<i>b</i> .	NAMESONO	<u>c</u> .	15-T10S-F	
14. DISTANCE	IN MILES AND DIRECT	TION FROM NEAREST TO	OWN OR POST OF	FICERION O	HNC:	12. COUNTY OR P	
10 Miles	S SW OI Ouray		<u> </u>			Uintah	Utah
	FROM PROPOSED*		16. NO. OF ACR	ES IN LEASE 1	7. NO. OF	ACRES ASSIGNED)
	OR LEASE LINE, FT.			1	10 11113	AAELL	
	rest drlg. unit line if any	·) 2850′	480			80	
	FROM PROPOSED LO		19. PROPOSED	DEPTH 2	O. ROTAR	Y OR CABLE TOOL	.5
	T WELL, DRILLING, CO				.		
	FOR, ON THIS LEASE		7.700	l	Rota		- MARY MALL OT ART
	NS (Show whether DF, F 5,148' GR	RT, GR, etc.)				March 1, 199	E WORK WILL START
23.	1,140 UR	PROPOSED CASING A	ND CEMENTING P	ROGRAM		Water 1, 193	<u>'</u>
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	, 		QUANTITY OF CEN	MENT
12 1/4"	8 5/8"	24#	+/- 3501			Cement to Surfa	ace
7 7/8"	5 1/2"	17#	+/-7,700			Cement Calc to	Surface
 NU and p Operate p Drill a 7 7 	ressure test BOP s pipe rams daily and	ir rig to +/-400', rur stack (Attach #2) prid I blind rams as poss with a salt water mu cted shows.	or to drilling out sible.	below surfa	ace pipe).
program 6. Primary z 7. All zones prudent i	may be modified to cones of interest are indicating potentia manner.	80 & K-55 casing a provide added bur the Wasatch, Chap I for economically re at, air or air assisted	rst strength if ne pita Wells & Ute ecoverable rese	eeded for fr eland Butte erves will be	ac progr	am.	
						The second second	1.4/
FORMATION	11025	DEPTHS				OOUETANI	637
Wasatch	l=	4800					ΠΔΙ
Chapita Well Uteland Butt		5450 6550			,	OOM IDEN	TIME
IN ABOVE SPA new productive Give blowout pr	CE DESCRIBE PROPOS	uest that all informa SED PROGRAM: If proper drill or deepen direction (.	osal is to deepen o	r plug back, g	ive data or	present productive	
	Doss R. Bourgeois	urgeds	TITLE	Supervisor	r, Drilling	Eng.	DATE 11/26/91
	Federal or State office	use)		(ac	ung) ner	3 0 1991
PERMIT NO	12. S	m. A	APPROVAL DATE	7100101	ANT DISTR		
PROVED BY	Zolman.	INITA	_ TITLE		GER MINER	OF APPROVAL !	DATE TACHED
	S OF APPROVAL, IF AN	NOTICE UP AP	PROVAL On Reverse Sid		2001110	PEHATOR'S COP	Y

CONDITIONS OF APPROVAL, IF ANY:

ONDITIONS OF APPROVAL ATTACHED

ONDITIONS OF APPROVAL ATTACHED

TO OPEHATOR'S COPY

The 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States. U+080-20)-054 Title 18 U.S.C. Section 1001. makes it

CONDITION OF APPROVAL

The Interior Board of Land Appeals (IBLA) has ruled that the decision to approve an APD may be appealed under 43 CFR Part 4.21(a), by adversely affected parties. These appeal rights are further modified by 43 CFR Part 3165.3(b) which makes the decision, if contested, first subject to a State Director Review.

A <u>Plan Conformance/NEPA Compliance Record</u> has been completed on this Application for Permit to Drill (APD).

If the decision to approve the APD is contested under 43 CFR Part 3165.3(b), the operator will be immediately notified that no further action can be taken (unless otherwise directed by the authorized officer for protection of surface and subsurface resources) and cannot be resumed until the State Director has issued a decision on the Review. If the State Director rules favorably, the operator may be authorized to resume activities, but must recognize there is still the risk under 43 CFR Part 4.21(a) of an appeal to IBLA.

Any adversely affected party who contests a decision of the Authorized Officer may request an administrative review before the State Director. Such requests, including all supporting documentation, shall be filed with the appropriate State Director within twenty (20) business days from the date such decision was considered received. Upon request and showing good cause, an extension for submitting supporting data may be granted by the State Director. Requests for administrative review should be sent to: State Director, Bureau of Land Management, Utah State Office, P.O. Box 45155, Salt Lake City, Utah 84145-0155.

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: CNG Producing Company

Well Name & Number: RBU 7-15E

Lease Number: U-013766

Location: SWNE Sec. 15 T.10S R. 19E

Surface Ownership: Federal Lands administered by BLM

NOTIFICATION REQUIREMENTS

Location Construction - at least forty-eight (48) hours prior to construction of location and access

roads.

Location Completion - prior to moving on the drilling rig.

Spud Notice - at least twenty-four (24) hours prior to spudding the well.

Casing String and - at least twenty-four (24) hours prior to running casing and

Cementing cementing all casing strings.

BOP and Related - at least twenty-four (24) hours prior to initiating pressure

Equipment Tests tests.

First Production - within five (5) business days after new well begins, or

Notice production resumes after well has been off production for more than ninety

(90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. <u>Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected</u> to be Encountered

Report <u>ALL</u> water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

The special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to if air is used as the principle drilling medium, i.e., if the rig mud pumps are not being utilized while drilling.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the usable water and oil shale resources shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the top of the Mahogany oil shale, identified at <u>+</u> 1838 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) shall be utilized to determine the <u>top</u> of cement (TOC) and bond quality for the production casing.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

<u>Immediate Report</u>: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the appropriate District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka (801) 781-1190 Petroleum Engineer

Ed Forsman (801) 789-7077 Petroleum Engineer

BLM FAX Machine (801) 789-3634

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids.

B. SURFACE USE PROGRAM

1. Additional Surface Stipulations

Following the access road with the pipeline, south as indicated with the APD map, would also enable CNG to better avoid Archaeological Site 42UN1952 mentioned in the Archaeology Report.

CONDITIONS OF APPROVAL

FOR THE FLOWLINE

- 1. No blading will be allowed on surface pipelines.
- 2. Vehicle use will be restricted to the pipeline route. It would be preferable if the pipe were welded in central staging areas and then dragged across the ROW with a CAT.
- 3. The Book Cliffs Resource Area minerals staff will be notified twenty-four (24) hours prior to starting construction.
- 4. All surface lines will be either black or brown in color.
- 5. Construction of the pipeline will not occur during periods of wet soil conditions.
- 6. If any cultural resources are found during construction, all work will stop and the Vernal District BLM office will be notified.
- 7. The metering of all gas will be done in accordance with Onshore Order No. 5.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

NAME OF C	COMPANY: <u>CNG</u>	43-047-321	L66
WELL NAME	RBU 7-15	Ē	
Section_	15 Township 10S	Range <u>19E</u>	County_UINTAH
Drilling	Contractor CIRCLE	L	
Rig #	7C		
SPUDDED:	Date <u>2-18-92</u>		- TAITIAI"
	Date <u>2-18-92</u> Time <u>11:30 AM</u>		UENIM
	How DRY HOLE	_	
Drilling	will commence		
Reported	by DANNY (LEON ROSS)		
Telephone	e # <u>722-4469</u>		
Date	2-18-92	STGNED	CAK

within its jurisdiction.		
Title 18 U.S.C. Section 1001, makes it a cri agency of the United States any false, fictiti	me for any person knowingly and ous or fraudulent statements or re	willfully to make to any department or epresentations as to any matter
Conditions of approval, if any:		
Approved byTitle	Dat	e
(This space for Federal or State office us	se)	
Signed Susan M. Hebert	Regulatory Reports Asst. II Dat	e <u>February 24, 1992</u>
14. I hereby certify that the forgoing is true		
, , , , , , , , , , , , , , , , , , ,	·	
Cemented by Dowell with 224 sks 70/30	Poz "G" with 2% S-1, and 1/4#/	sk D-29.
They drilled 380' of 12 1/4" hole and rai 366.4'.	n 9 jts of 8 5/8″ 24# H-40 casing,	set at
This is to notify you that the RBU 7-15E	was spudded by Leon Ross Drilli	ng on 02-19-92.
estimated date of starting any proposed and true vertical depths for all markers a		l, give subsurface locations and measured
13. Describe Proposed or Completed Opera	itions (Clearly state all pertinent d	etails, and give pertinent dates, including
		completion on Well Completion or Recompletion Report and Log form.)
		(Note: Report results of multiple
• •	[X] Other - Spud Notice	[] Dispose Water
[] Final Abandonment Notice	• •	[] Conversion to Injection
(v) annsednem vehom	[] Casing Repair	[] Water Shut-Off
[X] Subsequent Report	[] Plugging Back	[] Non-Routine Fracturing
[] Notice of Intent	[] Abandonment [] Recompletion	[] Change of Plans [] New Construction
TYPE OF SUBMISSION		E OF ACTION
		FICE, REPORT, OR OTHER DATA
		Uintah, Utah
		11. County or Parish, State
Surface - 1,450' FNL & 2,550' FEL of Se		Island
4. Location of Well (Footage, Sec., T., R., M	10. Field and Pool, or Exploratory Area	
3. Address and Telephone No. CNG Tower – 1450 Poydras Street, New	Orleans I A 70119_6000	43-047-32166
CNG PRODUCING COMPANY		7-15E OIL GAS & MINING 9. API Well No.
2. Name of Operator	8. Well Name and NoDIVISION OF	
[] Oil Well [X] Gas Well [] Other		River Bend Unit
1. Type of Well	-	7. If Unit or CA, Agreement Designation
SUBMIT IN TRIPLICATE		
Do not use this form for proposals to drill or t different reservoir. Use "APPLICATION FOR	6. If Indian, Allottee or missing	
SUNDRY NOTICES AND REPORTS		U-013766
		5. Lease Designation and Serial No.
BUREAU OF LAND MANNE		EX-RES: MARCH 31, 1993
DEPARTMENT OF THE	RIOR	GET BUREAU NO. 1004-0135

Form 3160-5

UNITED STATES

FORM APPROVED

WELL 5 COMMENTS

(3/89)

ACTION CODES (See instruction on back of form)

E - Other (explain in comments section)

A - establish new entity for new well (single well only) B - Add new well to existing entity (group or unit well)

D - Re-assign well from one existing entity to a new entity

NOTE: Use COMMENT section to explain why each Action Code was selected.

C - Re-assign well from one existing entity to another existing entity

STATE OF UTAH **OPERATOR CNG Producing Company OPERATOR ENTITY ACTION FORM - FORM 6** ADDRESS CNG Tower 1450 Poydras Street New Orleans, LA 70112-6000 THE GAS ENTHING CURRENT WELL LOCATION ACTION **NEW** API NUMBER WELL NAME DATE CODE ENTITY NO. ENTITY NO. QQ SC TP RG COUNTY 07050 43-047-32166 RBU 7-15E 8 SW NE 15 105 19E Uintah 02/19/92 This well is located within River Bend Unit on BLM land. WELL 1 COMMENTS:

FEB 2 8 1992

DIVISION OF

February 24, 1992

WELL 2 COMMEN	TS: Federal Field-	- Lease Natural Buttes	Unit-River Bend Prog. Zone-WSTC	Entity	g addic	,1 3-9-92	· fer			
										·
WELL 3 COMMEN	TS:									
WELL 4 COMMENTS:										

Signature

Title

Regulatory Reports Assistant II

Phone No. (504) 593-7260

REPORT OF WATER ENCOUNTE.) DURING DRILLING - FORM 7 (1/85)

147 - 11	ation. QQ a	MA IAE ZECTIO	n 15 township 10S range	e 13E COUN	y Oman
•	erator:		cing Company		
Addres	5 :		- 1450 Poydras Street s, LA 70112-6000	phone:	(504) 593-7000
		New Offeati	S, LA 70112-6000		
_			gy Corporation		
Addres	5: <u> </u>		reet, Suite 1690	phone:	(303) 293-8188
		Denver, CO	80202		
. Water e	ncountered	(continue on re	everse side if necessary)		
	D)epth	Volume	T	Quality
	from	to	(flow rate or head)		(fresh or salty)
	3,260'	3,270'	50 BPH		Fresh
	<u> </u>				
		 			
				-	
		 			
	-	1			TANGER MANAGEMENT
		1 1			and the second
					A Section 18 Section 1
					Min 0 2 1992
					ମଧ୍ୟ ଓ ଅଟେ ଅଟେ ଅଟେ ଅଟେ ଅଟିଲିଆ
Formati	nn tops: Wa	satch Tongu	e 4,200'		OMERCA OF
. I Oillian	311 (Op 3). <u>112</u>				
	-				

Comments:

:**13세법** : 25 = 1

April 22, 1992

RECEIVED

APR 2 7 1992

Mr. David Little
District Manager
Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

DIVISION OF OIL GAS & MINING

RE: Application for Disposal of Produced Water NTL-2B

Dear Mr. Little:

Pursuant to NTL-2B Revised August 1, 1978, CNG Producing Company hereby makes applications under Section 1, Exception No. 4. This request is for a 40 \times 40 \times 6' pit adjacent to gas separator in which production water is collected. The wells make less than five (5) bbls per day. The evaporation rate for the area is four (4) feet per year and the percolation rate of the soil is approximately 1" per day.

Some of the pits are unlined, (except with native clay), when they are not located next to drainage. These pits have also been tested for water loss. The pits that showed water loss are lined with native clay and a .12 mil liner.

The accompanying map shows the location of the pits, however, exact location of the pits have been submitted with the site security diagram. All wells are located within the River Bend Unit, Uintah County, Utah.

	Well Name	Lease Number	Well Location	Section, Township & Range
1.	RBU 8-2F	ML-10716	SE NE	2-T10S-R20E
2.	RBU 9-9E	U-03505	NE SE	9-T10S-R19E
3.	RBU 5-13E	U-013765	SW NW	13-T10S-R19E
4.	RBU 13-13E	U-01376	SW SW	13-T10S-R19E
5.	RBU 15-13E	U-013765	SW SE	13-T10S-R19E
6.	RBU 7-15E	U-013766	SW NE	15-T10S-R19E
7.	RBU 1-16E	ML-13214	NE NE	16-T10S-R19E
9.	RBU 3-17FX	U-013769-C	NE NW	17-T10S-R20E
9.	RBU 8-18F	U-013769	SE NE	18-T10S-R20E
10.	RBU 13-23E	U-013766	SW SW	23-T10S-R19E
11.	RBU 5-24E	U-013794	SW NW	24-T10S-R19E
12.	RBU 13-35B	U-017713	SW SW	35-T95-R19E

Mr. David Little, District Manager Bureau of Land Management

Page 2 April 22, 1992

If you have any questions or need any further information, please feel free to contact either myself at (504) 593-7260 or our project engineer, Scot Childress, at (504) 593-7574. Thank you for your cooperation.

Sincerely,

Susan M. Hebert

Regulatory Reports Asst. II

Enclosure

cc: Utah Board of Oil, Gas & Mining

Yvonne Abadie Scot Childress Brian Coffin Darwin Kulland Jim Nicas

RBU Well files

Form 3160-5 UNITED STATES		FORM APPROVED
DEPARTMENT OF T 'NTE	RIOR	່ງGET BUREAU NO. 1004-0135
BUREAU OF LAND MA GE		IRES: MARCH 31, 1993
		5. Lease Designation and Serial No.
SUNDRY NOTICES AND REPORTS	ON WELLS	U-013766
Do not use this form for proposals to drill or t		6. If Indian, Allottee or Tribe Name
different reservoir. Use "APPLICATION FOR	PERMIT = " for such proposals	
		.
SUBMIT IN TRIPLICATE		7. If Unit or CA, Agreement Designation
1. Type of Well		River Bend Unit
[]Oil Well [X] Gas Well [] Other		8. Well Name and No.
2. Name of Operator		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
CNG PRODUCING COMPANY		7-15E
3. Address and Telephone No.		9. API Well No.
CNG Tower - 1450 Poydras Street, New	Orleans, LA 70112-6000	43-047-32166
4. Location of Well (Footage, Sec., T., R., M	., or Survey Description)	10. Field and Pool, or Exploratory Area
Surface - 1,450' FNL & 2,550' FEL of Se	c. 15-T10S-R19E	Island
•		11. County or Parish, State
		Uintah, Utah
CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NO	FICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYP	E OF ACTION
[] Notice of Intent	[] Abandonment	[] Change of Plans
11	[] Recompletion	[] New Construction
[X] Subsequent Report	[] Plugging Back	[] Non-Routine Fracturing
[x] oabsequentieper	[] Casing Repair	[] Water Shut-Off
[] Final Abandonment Notice		[] Conversion to Injection
[] I mai Abandonniera restau	[X] Other - Notice of First	[] Dispose Water
	Production	(Note: Report results of multiple
		completion on Well Completion or
		Recompletion Report and Log form.)
13. Describe Proposed or Completed Opera	tions (Clearly state all pertinent d	etails, and give pertinent dates, including
13. Describe Froposed of Completed Open	work If well is directionally drilled	l, give subsurface locations and measured
and true vertical depths for all markers a	nd zones pertinent to the work.)*	, 5
Well was placed on initial production on	April 22, 1992 at 11:00 AM.	
·		
Note: Verbal notification of initial produc	ction telephoned into BLM by Sue	Hebert, CNG. Information
given to Sally Gardner, BLM on A	pril 24, 1992, 2:25 PM.	
,		BECSIVE (
		D *
		APR 2 7 1992
		DIVISION OF
		OIL GAS & MINING
14. I hereby certify that the forgoing is true	and correct	
Signed Susan M. Meburt Title	Regulatory Reports Asst. II Dat	e April 24, 1992
Susan M. Hebert		
(This space for Federal or State office us	se)	
(This space for Federal of State blibe of	<i>,</i>	
Amount and have Title	Dat	e
Approved byTitle Conditions of approval, if any:		
Title 18 U.S.C. Section 1001, makes it a cri	me for any person knowingly and	willfully to make to any department or
agency of the United States any false, fictiti	ious or fraudulent statements or r	epresentations as to any matter
agency of the United States any laise, hold	ous of figure of the second of	•
within its jurisdiction.		- Cida

May 7, 1992

Mr. Ed Forsman U.S. Dept. of the Interior Bureau of Land Management Vernal District Office 170 South 500 East Vernal, UT 84078

RE: River Bend Unit Well Completion Reports #RBU#15-13E Section 13-T10S-R19E RBU 7-15E Section 15-T10S-R19E

Dear Ed:

Enclosed please find the original and two copies of the above referenced reports.

CNG Producing Company is requesting all information be held confidential.

Should you have any questions please feel free to contact either myself, at (504) 593-7260, or the project engineer, Scot Childress, at (504) 593-7574.

Sincerely,

Regulatory Reports Asst. II

Enclosure

cc: Ms. Tammy Searing - Utah Department of Oil, Gas & Mining

Yvonne Abadie Scot Childress Virginia Corpening Brian Coffin Darwin Kulland Damain Montelaro Ron Mueller

Jim Nicas

RBU Well files

PG&E Resources Company

MAY 1 1 1952

Section Section 1

DIVISION OF OIL GAS & MEDING

		TMENT OF THE. J OF LAND MANA	TERIOR		•	otheri	~~~~	Expires August 3	1, 1985
	BUILERC					rse side		5. LEASE DESIG	CON NOTION
	WELL CO	OMPLETION OR I	RECOMPLET	TION REPO	RT AN	ID LOG	}*	U-013766	•
1a. TYPE OF	WELL:	OIL WELL	GAS WELL	X DRY	Othe	2 r		TRIBE NAME	
16. TYPE OF NEW	COMPLETIC WORK	N: DEEP-	PLUG	DIFF.	075			River Ben	d Unit
	X OVER	EN	BACK	RESVR.	Othe	teriore. LF		RBU	
2. NAME OF C				<u> </u>	<i>y</i> 1	AY 1	1 (900	9. WELL NO.	
3. ADDRESS	D ducing C	ompany ੦ਸ		 	1,			7-15E	OOL, OR WILDCAT
CNG To	wer - 145	0 Poydras St., Ne	ew Orleans, I	LA 70112-	6000	anco	ALCON	Island	OOL, OR WILDOW
4. LOCATION At surface	2,450' FE	(Heport location clea EL & 1,450' FNL (ny and in accor of Sec. 15–T	aance +///\\\an 105-R19E		न् र इं क्रुक्तरत िर्देशि	nins). Nichio	SURVEY OR	MI, OR BLOCK AND AREA
At top prod	. interval res	ported below				~~\I	TINI		
At total dep				CC	NFI	NFN	TIAL	SW of NE of 1	5-T10S-R19E
				14. PERMIT			220ED	12. COUNTY OR PARISH	13. SIAIE
				43-047-3	2117	12/0	09/91	Uintah	Utah
15. DATE SPUDDED	16. DATE	I.D.	7. DATE COM			118. EL	EVATION(DF, , RT, GR, ETC.)*	19. ELEV. CASIN	GHEAD
02/19/92		03/92	04/03/92				5.148' GR		
20. TOTAL DE	PTH	21. PLUG, BACK T.D				 	23. INTERVALS	ROTARY	CABLE
MD & TVD	***	MD & TVD	HOW MAN				DRILLED BY	TOOLS	TOOLS
	400'	7,307' AL(S), OF THIS COME		Zones	115 /11	T AND T	-	Rotary	
24. PRODUCII	NO INIERVA	AL(S), OF THIS COMP	LETION - TOP	, BOHOM, NA	ME (MI	וטאמכו	VD)*	25. WAS DIRECT SURVEY MA	
5,508-22', 6,13	34-641, 5,70	6-30', 6,294-6,314',	5,808-501, & 5,	713-72'; Was	atch				No
		OTHER LOGS RUN	, , , , , , , , , , , , , , , , , , , 				27. WAS WE	LL CORED	
GR, DLL, Ca	ıl, Denisty	Neutron mu		3-25-92			1	No	
28. CASING SIZE	1461010	T 1 D (FT				ll string	s set in well)		
8 5/8"	WEIGH	T, LBJFT 24#	DEPTH SET (MI 366.41	D) HOLE SIZ	<u>E</u>	224 ek	CEMENTING	RECORD with 2% S-1, and	AMOUNT PULLED
5 1/2"		17# N-80	7,393′					by 715 sks 10-0 R	
29.		LINER RECORD					30.	TUBING RECORD	>
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEME	ENT*	SCREE	N (MD)	SIZE		PACKER SET (MD)
			 				2 3/8"	6,497′	6,008′
		RD (Interval, size and	number)	32.				EMENT SQUEEZE	
Zone #1 - 6,51		,302′, 6,296′, 6,159′,	6 154' 5 152'	Zone #1	ILHVA	L (MD)) KIND OF MATER f 20/40 Frac Sand	IAL USED
	,144', 5,142	', 5,138' & 5,134'	F. 330/ F. 360/	Zone #2			225,000 lbs o	20/40 Frac Sand	-
20/12 #3 - 3,03 5	,759, 5,754	3,5,750°,5,746°,5,72	6', 5,722', 5,71	7' Zone #3		. ,	310,000 185 0	1 20/40 Frac Sand	
33.	5,713′				PRO	риспо	PN		
DATE FIRST PI	RODUCTION		T(Flowing, gas	litt, pumping				WELL STATUS	(Producing or shut-i
04/22/92 DATE OF TEST	·····	Flowing HOURS TESTED TO	HOKE SIZE	TPROD'N FOR	OIL-	RRI	GAS-MCF.	Producing WATER-BEL.	GAS-OIL RATIO
04/23/92		24	10/64	TEST PERIO		55 2.	484	-	-
-LOW: TUBING	PRESS.	CASING PRESSURE	CALCULATED	OIL-BBC.	GAS	-MCF.		OIL GRAVITY-AF	(CORR.)
1950		1550	>	_	404		_	_	
34. DISPOSITI	ON OF GAS	(Sold, USED for füel,	vented, etc.)	A				TEST WITNESSE) B.A.
35. LIST OF A	TACHMEN	Sold					······································	Mitch Hall	·
		toregoing and attact	ed information	is complete a	nd corre	ct as de	termined from a	ll available record	5.
•	·	1 11	2.11	•			_		
	SIGNED		w /	TITLE !	supen	visor, f	Prod. Eng.	- DATE	April 27, 1992
***************************************		W. Scot Childre		oe for Addi	الججية	Desta es	n Reverse Sic	<u></u>	

Form approved.

Budget Bureau No. 1004-0137

SUBMIT IN DUPLICATE*

(November 1983)

(formarly 9-330)

UNITED STATES

FORMATION TOP Wasatch 6,294' Wasatch 6,134' Wasatch 5,808' Wasatch 5,742' Wasatch 5,706'				
Wasatch Wasatch Wasatch Wasatch Wasatch	BOTTOM DESCRIPTION, CONTENTS, ETC.	9344	Ì	TOP
Wasatch Wasatch Wasatch Wasatch	6,522' sdst, wh-gy, vfgr-fgr, sang-smd, calc, tite, sitty, intlm		MEAS. DEPTH	VERT. DEPTH
Wasatch Wasatch Wasatch	6,314' aa	Wasatch Tongue	4,255	4 225 765
Wasatch Wasatch Wasatch		Green River Tongue	4,618′	4. 9.6
Wasatch Wasatch	5,850' aa	Wasatch	4,784	4.7.4 (4.00)
Wasatch	5,772' aa	Chapita Wells	5,496'	5,496
	5,730' aa	Uteland Buttes	6,577	6,577
		. ,		Section (1995) - Sectio
		· .		u tiak sa urfezi%*
,				

Bubly 5.29-92 RBU 7-158 See 6, 71080, R19E production unit wellhead

CNG Producing Company

AUG 1 2-1992 DIV. OIL, GAS, MINING

ING. 229 4

April 22, 1992

Mr. David Little
District Manager
Dept. of the Interior
Bureau of Land Management
Vernal District Office
170 South 500 East
Vernal, UT 84078

RE: Application for Disposal of Produced Water NTL-2B

Dear Mr. Little:

Pursuant to NTL-2B Revised August 1, 1978, CNG Producing Company hereby makes applications under Section 1, Exception No. 4. This request is for a 40 x 40 x 6' pit adjacent to gas separator in which production water is collected. The wells make less than five (5) bbls per day. The evaporation rate for the area is four (4) feet per year and the percolation rate of the soil is approximately 1" per day.

Some of the pits are unlined, (except with native clay), when they are not located next to drainage. These pits have also been tested for water loss. The pits that showed water loss are lined with native clay and a .12 mil liner.

The accompanying map shows the location of the pits, however, exact location of the pits have been submitted with the site security diagram. All vells are located within the River Bend Unit, Uintah County, Utah.

	Well Name	Lease Number	Well Location	Section, Township & Range
1. 2. 3. 4. 5. 6. 7. 9. 10. 11.	RBU 8-2F RBU 9-9E RBU 5-13E RBU 13-13E RBU 15-13E RBU 7-15E RBU 1-16E RBU 3-17FX RBU 8-18F RBU 13-23E RBU 5-24E RBU 13-35B	ML-10716 U-03505 U-013765 U-013765 U-013766 ML-13214 U-013769-C U-013769 U-013766 U-013794 U-017713	SE NE NE SE SW NW SW SW SW SE SW NE NE NE NE NE NE NW SE NE SW SW SW SW	2-T10S-R20E -9-T10S-R19E 13-T10S-R19E 13-T10S-R19E 13-T10S-R19E 15-T10S-R19E 16-T10S-R20E 18-T10S-R20E 23-T10S-R19E 24-T10S-R19E 35-T9S-R19E

Mr. David Little, District Manager Bureau of Land Management

If you have any questions or need any further information, please feel free to contact either myself at (504) 593-7260 or our project engineer, Scot Childress, at (504) 593-7574. Thank you for your cooperation.

Sincerely,

Susan M. Lebert

Susan M. Hebert

Regulatory Reports Asst. II

Enclosure

cc: Utah Board of Oil, Gas & Mining

Yvonne Abadie Scot Childress Brian Coffin Darwin Kulland Jim Nicas

RBU Well files



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Vernal District Office 170 South 500 East Vernal, Utah 84078



Phone (801) 789-1362

FAX (801) 789-3634

3162.32 UT085

JUL 31 1992

CNG Producing Company
Attn: Susan Hebert
Regulatory Reports Assistant
CNG Tower, 1450 Polydras Street
New Orleans, LA 70112-6000

Re:

NTL-2B Applications for 12 wells

in River Bend Unit Uintah County, Utah

Dear Ms. Hebert:

In your letter of April 22, 1992, you requested NTL-2B authorization for 12 wells. We have reviewed your request for permission to dispose of produced water at these locations as per the regulations under Section IV exception 4. The volume of water to be disposed of per facility does not exceed 5 barrels per day on a monthly basis.


Your request includes two wells located on State of Utah leases where the State of Utah has jurisdiction over regulating your production of produced water. The RBU 8-2F well involves Federal Surface. For it we simply stipulate that the pit size not exceed 40 feet by 40 feet by 6 feet and the APD fencing requirements be followed when you seek your required NTL-2B approval from the state of Utah for the two state wells:

0 RBU 8-2F on lease ML-10716 SENE, Sec. 2, T10S, R20E RBU 1-16E on lease ML-13214 NENE, Sec. 16, T10S, R19E

93-047-32136 43-047-31740

For the other 10 wells, your request is approved subject to guidelines and requirements provided for in Section V, NTL-2B, and subject to the stipulations:

- No pit larger than 40 feet by 40 feet by 6 feet is authorized as a permanent disposal pit at any of these 10 wells unless it is justified by a subsequent request from CNG and substantial evidence to support that request.
- 2. The fencing requirements in the approved APD for each well site will be followed.



CNG should be aware that the following requirements were part of the APD approvals for the 10 wells:

Fencing Requirements

All pits will be fenced according to the following minimum standards:

- a. 39-inch net wire shall be used with at least one strand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
- b. The net wire shall be no more than 2 inches above the ground. The barbed wire shall be 3 inches above the net wire. Total height of the fence shall be at least 42 inches.
- Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
- d. Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than 16 feet.
- e. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

A recent inspection of these 10 well sites showed that one of them had a drain pit constructed as part of their recent installation of production equipment. You have requested only one pit at each well in your letter. A separate request is needed if additional drain pits are needed. Drain pits are presently at the 7-13E, 5-14E, 13-14E, 9-20F, 15-23E, and 13-24E wells. The drain pit at well 5-13E is filed for in your other letter of April 22, 1992.

A list of the 10 wells where one NTL-2B pit is authorized under this approval is as follows:

<u>No.</u>	Well Name	Lease Number	Well Location	Section, Township, & Range
1.	RBU 9-9E	U-03505	NESE	9-T10S-R19E 43.047-31739
2.	RBU 5-13E	U-013765	SWNW	13-T10S-R19E 43-047, 31715
3.	RBU 13-13E	U-013765	SWSW	13-T10S-R19E 43-047-21717
4.	RBU 15-13E	U-013765	SWSE	13-T10S-R19E 43-047-32167
5.	RBU 7-15E	U-013766	SWNE	15-T10S-R19E 43-047-32166
6.	RBU 3-17FX	U-013769-C	NENW	17-T10S-R20E 43-047-32191 10-3
7.	RBU 8-18F	U-013769	SENE	18-T10S-R20E 13-047-32/49 ()
8.	RBU 13-23E	U-013766	SWSW	23-T10S-R19E 43-047-32/53 (2)
9.	RBU 5-24E	U-013794	SWNW	24-T10S-R19E 43.047-J2154 (1)
10.	RBU 13-35B	U-017713	SWSW	35-T 9S-R19E 43-047-32094 con
	•			,

CNG Producing Company

A CNG COMPANY

CNG Tower 1450 Poydras Street New Orleans, LA 70112-6000 (504) 593-7000

November 24, 1992



DIVISION OF OIL GAS & MINING

Mr. Ed Forsman U.S. Dept. of the Interior Bureau of Land Management Vernal District Office 170 South 500 East Vernal, UT 84078

RE: Confidentiality on

River Bend Unit Wells

Dear Ed:

Please accept this letter as evidence that we would like to extend the confidential period for another year or as long as is permissible by law on the following River Bend Unit well:

Well Name	Qtr/Qtr	<u>Section</u>	API Number
RBU 8-2F	SE NE	2-T10S-R20E	43-047-32136
RBU 15-13E	SW SE	/3-T10S-R19E	43-047-32167
RBU 7-15E	SW NE	15-T10S-R19E	43-047-32166
RBU 8-18F	SE NE	18-T10S-R20E	43-047-32149
RBU 1-20F	NE NE	20-T10S-R20E	43-047-32 14 6 <i>3 13よ</i> 4
RBU 9-21E	NE SE	21-T10S-R19E	43-047-32128
RBU 13-23E	SW SW	23-T10S-R19E	43-047-32153

If you have any questions or need any additional information, please feel free to contact me at (504) 593-7260. Thanks for your continued cooperation.

Sincerely,

Susan M. Hebert

Regulatory Reports Asst. II

cc: Ms. Tammy Searing - Utah Board of Oil, Gas & Mining

Yvonne Abadie RBU Well Files



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 U-01470-A et al (UT-932)

JILIN 2 2000

NOTICE

Dominion Exploration & Production, Inc. 1450 Poydras Street

Oil and Gas Leases

New Orleans, LA 70112-6000

Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of CNG Producing Company to Dominion Exploration & Production, Inc. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from your list of leases and a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

The following lease on your list is closed on the records of this office: U-029277.

Due to the name change, the name of the principal on the bond is required to be changed from CNG Producing Company to Dominion Exploration & Production, Inc. on Bond No. 524 7050 (BLM Bond No. WY1898). You may accomplish this name change either by consent of the surety on the original bond or by a rider to the original bond. Otherwise, a replacement bond with the new name should be furnished to the Wyoming State Office.

/s/ Robert Lopez

Robert Lopez
Chief, Branch of
Minerals Adjudication

Enclosure Exhibit of Leases

RECE

JUN 05 22 1

DIVISION OF OIL, GAS AND HERE cc: Wyoming State Office New Mexico State Office


> Moab Field Office Vernal Field Office

MMS-Reference Data Branch, MS 3130, Box 5860, Denver, CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801

Irene Anderson (UT-932) Teresa Thompson (UT-931)

LaVerne Steah (UT-942)





June 27, 2000

Mr. Jimmy Thompson Utah Board of Oil Gas & Mining 1594 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

RE: Name Change Documentation for CNG Producing Company

Dear Mr. Thompson:

CNG Producing Company has become Dominion Exploration & Production, Inc. effective April 12, 2000. Enclosed please find a sundry regarding the name change with an attached listing of all the permits in the name of CNG Producing Company to be changed to Dominion Exploration & Production, Inc. Also enclosed please find a Form UIC 5 for the Transfer of Authority to Inject for the Federal #1-26B well.

If you have any questions or require any additional information, please contact me at (504) 593-7260.

Sincerely,

DOMINION EXPLORATION & PRODUCTION, INC.

rusa N. S. Sachita ral

Susan H. Sachitana

Regulatory Reports Administrator

Enclosure

cc: Nelda Decker

RECEIVED

JUN 2 9 2000

DIVISION OF OIL, GAS AND MINING

-	STATE OF UTAH		r =	
D	IVISION OF OIL, GAS & MINING		VARIOUS	on and Serial Number:
SUNDRY	Y NOTICES AND REPORTS ON WELLS		6. If Indian, Allottee	e or Tribe Name:
	to drill new wells, deepen existing wells or to reenter plugged a		7. Unit Agreement	Name:
1. Type of Well:	OIL GAS OTHER:		8. Well Name and VARIOUS	
Name of Operator: DOMINION EXPLORATION & P	RODUCTION INC.		9. API Well Number	er .
 Address and Telephone Numbers 1460 Poydras Street, New Orlea 	:		10. Field and Pool, o Natural Buttes 6	
 Location of Well Footages: QQ, Sec, T., R., M.: 			County: State:	UINTAH UTAH
	HECK APPROPRIATE BOXES TO INDIC	CATE NATURE OF NOTIC		
	E OF INTENT IT IN DUPLICATE)		SUBSEQUENT (Submit Original I	
Abandon	New Construction	Abandon*		New Construction
Repair Casing	Pull or Alter Casing	Repair Casing		Pull or Alter Casing
Change of Plans	Recomplete	Change of Plans	s	Reperforate
Convert to Injection	Reperforate	Convert to Inject	tion	Vent or Flare
Fracture Treat or Acidize	Vent or Flare	Fracture Treat o	r Acidize	Water Shut-Off
Multiple Completion	Water Shut-Off	X Other	OPERATOR NAME	CHANGE FOR WELLS
Other		Date of work comp	letion	
Approximate date work will start			e Completion and Recompletion to COMPLETION REPORT AND LOC	
	RATIONS (Clearly State all pertinent details, and give pertiner		by a cement verification report.	
and would like to transfer the well	April 12, 2000, CNG Producing Company I permits into the name of Dominion Exploit The bond number is 76S 63050 361.			
Sr. Vice-President - CNG Produc	ing Company		RE	CEIVED
				JUN 2 9 2000
				DIVISION OF GAS AND MINING
13.	No D			
Name & Signature: John	R. Lewis Tit	le: Sr. Vice-President - Do	minion Expl. & Prod., I	nc. Date: June 26, 2000
(This space for State use only)				



Application To Amend The CERTIFICATE OF AUTHORITY OR **REGISTRATION of**

662894 CO 106990	
Ĉ0	106990
	File Number

Cheek Appropriate Box	
Foreign Profit Corporation	\$35.00
Foreign Non-Profit Corporation	\$35.00
Foreign Limited Partnership	\$25.00
Foreign Limited Liability Company	\$35.00

	CNG Producing Company Business entity Name
	Business entity Name
	Delaware Name of Home State
I.	AMENDING THE BUSINESS NAME
	The business name is changed to: Dominion Exploration & Production, Inc.
	The corporation shall use as its name in Utah: Dominion Exploration & Production, Inc.
NOTE:	(The exerption shall use its name as set forth on #1, unless this name is not available) If the business name has changed its name in the home state, a copy of the Certificate of Amendment or a certified copy of the amendment must accompany this application.
Check ti	the following: 94 The name of the corporation is changing it's name in Utah to the new name of the corporation in the home state, [] The name of the corporation is being changed in Utah to comply with Utah State Insurance Regulations.
II.	AMENDING THE DURATION OF THE BUSINESS EXISTENCE The businesses period of duration is changed to:
in.	AMENDING THE STATE OR COUNTRY OF INCORPORATION/REGISTRATION The corporation's state or country of incorporation/registration is changed to:
īv.	Other: (Limited Partnership changing General Partners, Limited Companies changing Members or Managers. Change of statement who is managing, etc.)
	Use an unached sheet if needed.
Under to the b	penalties of perjury, I declare this Application to Amend the Certificate of Authority or Registration to be, sest of knowledge and belief, true and correct.

STATE OF UTAH DIVISION OF CORPORATIONS AND COMMERCIAL CODE 160 East 300 South / Box 146705 Salt Lake City, UT 84114-6705 Service Center: (801) 530-4849

Web Site: http://www.commerce.state.ul.us

Vice President & Corporate Secretary

04/25/2000

April 20 2000
State of Dian
Department of Commerce Division of Corporations and Commercial Code Hereby certify that the foregoing has been filed and approved on this 27 day of 20 in the office of this Division and hereby issue

Receipt Number: 22156 Amount Paid:

this Certificate thereof.

Examiner

Maria Blaman	A = : \\\-!! O = d =	One and an Name	Deadwaller Otatus	Lana Tima
Well Name	Api Well Code	Operator Name	Production Status	Lease Type
RBU #16-16F	430473111500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-34B	430473113800S1	DOMINION EXPLORATION & PR	LER!	BLM
RBU #12-18F RBU #3-24E	430473114000S1	DOMINION EXPLORATION & PR	PR PR	BLM BLM
	430473114100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-23E RBU #9-23E	430473114300S1	DOMINION EXPLORATION & PR DOMINION EXPLORATION & PR	PR	BLM
	430473114400S1		PR PR	BLM
RBU #9-14E	430473114500S1	DOMINION EXPLORATION & PR	PR	
RBU #3-15E RBU #10-15E	430473116000S1 430473116100S1	DOMINION EXPLORATION & PR DOMINION EXPLORATION & PR	PR	BLM BLM
RBU #9-10E	430473117600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #14-2D	430473119100S1	DOMINION EXPLORATION & PR	SIEC	STATE
RBU #6-11D	430473119100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-14E	430473119600S1	DOMINION EXPLORATION & PR	PR	BLM
FEDERAL 33-18J	430473120000S01	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-4E	430473125200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-2D	430473128000S1	DOMINION EXPLORATION & PR	PR	STATE
RBU #1-19F	430473132200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-10E	430473132300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-20F	430473132400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-3D	430473135200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-11D	430473135700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-11D	430473135800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-10D	430473136400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-13E	430473136900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-2D	4304731452S02	DOMINION EXPLORATION & PR	PR	STATE
RBU #16-3E	430473151800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-11F	430473151900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-17F	430473152000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-3D	430473153900S1	DOMINION EXPLORATION & PR	PR	BLM
* (HILL CREEK FEDERAL #1-30)	430473160100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-13E	430473160500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #3-22E	430473160600S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-24E	430473160700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-18F	430473160800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-11F	430473161300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #8-16F	430473161400S2	DOMINION EXPLORATION & PR	PR	BLM
RBU #4-22F	430473161500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #12-12D	430473165100S1	DOMINION EXPLORATION & PR	PR	BLM
`RBU #6-17E	430473165200S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-13E	430473171500S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-13E	430473171700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-35B	430473172400S1	DOMINION EXPLORATION & PR	TA	BLM
RBU #9-9E	430473173900S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #1-16E	430473174000S1	DOMINION EXPLORATION & PR	PR.	
RBU #2-10D	430473180100S1	DOMINION EXPLORATION & PR	PR	BLM
APACHE FEDERAL #12-25)	_430473188100S1	DOMINION EXPLORATION & PR	PR	BIA
APACHE FEDERAL #44-25	*430473192200S2	DOMINION EXPLORATION & PR	PR	- BLM
RBU #16-2F	43047320260051	DOMINION EXPLORATION & PR	PR	W. 1885
RBU #13-14E	430473203300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-3E	430473203700S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #6-18F	430473203800S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-24E	430473204000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #5-14E	430473204100S1	DOMINION EXPLORATION & PR	PR	a Blade
RBU #9-16E	430473204200S1	DOMINION EXPLORATION & PR	PR	NEW Y
RBU #12-20F	430473205000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #7-13E	430473205100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #16-19F	430473207000S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #9-22E	430473207100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-34B	430473207200\$1	DOMINION EXPLORATION & PR	PR	BLM
RBU #11-15E	430473207300S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #13-21F	430473207400S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #10-22F	430473207500S1	DOMINION EXPLORATION & PR	PR	BLM
`RBU #9-20F	430473208100S1	DOMINION EXPLORATION & PR	PR	BLM
RBU #15-23E	430473208200S1	DOMINION EXPLORATION & PR	PR	BLM

	Well Name	Api Well Code	Operator Name	Production Status	• • • • • • • • • • • • • • • • • • • •
	RBU #13-24E	430473208300S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #13-35B	430473209400S1	DOMINION EXPLORATION & PR	(PR)	BLM
	RBU #3-21E	430473209500S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #15-17F	430473210300S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #13-19F	430473210500S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #1-21E	430473210700S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #14-2F	430473210800S1	DOMINION EXPLORATION & PR	PR	' STATE
	RBU #9-21E	430473212800S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #9-17E	430473212900S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #13-14F	430473213300\$1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #9-11F	430473213400S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #8-2F	430473213600S1	DOMINION EXPLORATION & PR	PR	"A STATE
	RBU #5-16E	430473213700\$1	DOMINION EXPLORATION & PR	PR	STATE
	RBU #5-21F	430473213800S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #1-20E	430473214600S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #8-18F	430473214900S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #13-23E	430473215300S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #5-24E	430473215400S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #5-14F	430473215600S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #7-15E	³ 430473216600S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #15-13E	430473216700S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #13-10F	430473218900S1	DOMINION EXPLORATION & PR	PR	(BIA)
	RBU #15-10E	430473219000S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #3-17FX	430473219100S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #13-15E	430473219700S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #7-22E	430473219800S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #5-23E	430473219900S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #13-18F	430473220100S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #15-15E	430473221100S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #5-19F	430473221300S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #9-17F	430473221700S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #7-17F	430473221800S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #15-14E	430473221900S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #5-3E	430473222000S1	DOMINION EXPLORATION & PR	PR	BLM
	, RBU #15-35B	430473222200S1	DOMINION EXPLORATION & PR	PR	BLM
	EEDERAL #11-24B	430473222300S01	DOMINION EXPLORATION & PR	PR	BLM
	(STATE #9-36A)	430473222500	DOMINION EXPLORATION & PR	TA	T TATE
	RBU #9-3E	430473222800S1	DOMINION EXPLORATION & PR	PR	BEM
	RBU #7-14E	430473223900S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #9-14F	430473224000S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #13-17F	430473224100S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #5-22E	430473224200S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #15-17E	430473224300	DOMINION EXPLORATION & PR	PA	BLM
	RBU #7-16E	430473224500S1	DOMINION EXPLORATION & PR	PR	† SIME
	FEDERAL #1-26B~ GIW	4304732248	DOMINION EXPLORATION & PR	PR	BLW
	RBU #13-16E	430473225000S1	DOMINION EXPLORATION & PR	PR	SEE
	RBU #8-13E	430473226300S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #9-21F	430473226600S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #5-10F	430473226700S1	DOMINION EXPLORATION & PR	PR	■ BLM
	RBU #9-10F	430473226800S1	DOMINION EXPLORATION & PR	PR	- BLM
	RBU #14-22F	430473227000S1	DOMINION EXPLORATION & PR	PR	BLM ISCH
\	RBU #9-34B	430473227400S1	DOMINION EXPLORATION & PR	PR	BLM
1	RBU #5-21E	430473227600S1	DOMINION EXPLORATION & PR	PR	BLM
1	RBU #7-10E	430473228900S1	DOMINION EXPLORATION & PR	PR	BLM
1	RBU #5-17F	430473229000S1	DOMINION EXPLORATION & PR	PR	BLM
,	RBU #15-16E	430473229200\$1	DOMINION EXPLORATION & PR	PR	14216
	RBU #3-3E	430473229300S1	DOMINION EXPLORATION & PR	PR	BEW
	RBU #13-22E	430473229500S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #7-21E	430473230100S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #15-21F	430473230900S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #15-20F	430473231000\$1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #9-24E	430473231200S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #3-20F	430473231300S1	DOMINION EXPLORATION & PR	PR	BLM
	RBU #10-2F	430473231400S1	DOMINION EXPLORATION & PR	PR	
					164

OPERATOR CHANGE WORKSHEET

Check each listed item when completed. Write N/A if item is not applicable.

ROUTING:	
	4-KAS
2-CDW\	5-\$170
3-JLT	6-FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change Only

Merger

The operator of the well(s)	listed below has changed.	effective:	4-12-00

Address:

TO:(New Operator) DOMINION EXPL & PROD INC.

1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

Phone: 1-(504)-593-7000 Account No. N1095 FROM: (Old Operator) CNG PRODUCING COMPANY

Address: 1450 POYDRAS STREET

NEW ORLEANS, LA 70112-6000

Phone: 1-(504)-593-7000 Account No. N0605

WELL(S):	CA Nos.	o	r RIVER B	END		Unit
Name: RBU 15-23E	API:	43-047-32082	Entity: 7050	S 23 T 10S	R 19E	Lease: <u>U-013766</u>
Name: RBU 13-24E	API:	43-047-32083	Entity: <u>7050</u>	S <u>24</u> T <u>10S</u>	R 19E	Lease: <u>U-013794</u>
Name: RBU 3-21E	API:	43-047-32095	Entity: <u>7050</u>	S 21 T 10S	R <u>19E</u>	Lease: <u>U-013766</u>
Name: RBU 15-17F	API:	43-047-32103	Entity: <u>7050</u>	S 17 T 10S	R 20E	Lease: <u>U-013769-C</u>
Name: RBU 13-19F	API:	43-047-32105	Entity: 7050	S <u>19</u> T <u>10S</u>	R 20E	Lease: <u>U-013769-A</u>
Name: RBU 1-21E	API:	43-047-32107	Entity: 7050	S 21 T 10S	R 19E	Lease: <u>U-013766</u>
Name: RBU 9-21E	API:	43-047-32128	Entity:_7050	S 21 T 10S	R 19E	Lease: <u>U-013766</u>
Name: RBU 9-17E	API:	43-047-32129	Entity: 7050	S <u>17</u> T <u>10S</u>	R_19E	Lease: <u>U-03505</u>
Name: RBU 13-14F	API:	43-047-32133	Entity: 7050	S 14 T 10S	R_20E	Lease: <u>U-013793-A</u>
Name: RBU 9-11F	API:	43-047-32134	Entity: 7050	S <u>11</u> _T <u>10S</u>	R_20E	Lease: <u>U-7206</u>
Name: RBU 5-21F	API:	43-047-32138	Entity: 7050	S 21 T 10S	R 20E	_Lease: <u>U-013793</u>
Name: RBU 1-20E	API:	43-047-32146	Entity: 7050	S 20 T 10S	R 19E	_Lease: <u>U-03505</u>
Name: RBU 8-18F	API:	43-047-32149	Entity: 7050	S 18 T 10S	R 20E	_Lease: <u>U-013769</u>
Name: RBU 13-23E	API:	43-047-32153	Entity: 7050	S 23 T 10S	R <u>19E</u>	_Lease: <u>U-013766</u>
Name: RBU 5-24E	API:	43-047-32154	Entity: 7050	S 24 T 10S	R 19E	Lease: <u>U-013794</u>
Name: RBU 5-14F	API:	43-047-32156	Entity: 7050	S 14 T 10S	R 20E	_Lease: <u>U-0137093A</u>
Name: RBU 7-15E	API:	43-047-32166	Entity: <u>7050</u>	S 15 T 10S	R 19E	Lease: <u>U-013766</u>

OPERATOR CHANGE DOCUMENTATION

YES	1	Αı	nending	operator	change	file	has	been	set up
1 1 24.7	1.	Δ	ochune	UDCI ALVI	CHAHEC		1100	OCCII	SQL UL

- (R649-8-10) Sundry or other legal documentation has been received from the **FORMER** operator on <u>6-29-00</u>. YES 2.
- (R649-8-10) Sundry or other legal documentation has been received from the NEW operator on 6-29-00 YES 3.
- The new company has been looked up in the Department of Commerce, Division of Corporations Database YES 4. if the new operator above is not currently operating any wells in Utah. Is the operator registered with the State? Yes/No If yes, the company file number is **SEE ATTACHED** . If no, Division letter was mailed to the new operator on_____

YES	5.	Federal and Indian Lea Vells. The BLM or the BIA has approved the second end of the
N/A	6.	Federal and Indian Units. The BLM or the BIA has approved the successor of unit operator for all wells listed above involving unit operations on
N/A	7.	Federal and Indian Communitization Agreements ("CA"). The BLM or the BIA has approved the operator change for all wells listed above involved in the CA on
N/A	8.	Underground Injection Control ("UIC") Program. The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project and/or for the water disposal well(s) listed above.
YES	9.	Changes have been entered in the Oil and Gas Information System for each well listed on 7-28-00.
<u>YES</u>	10.	Changes have been included on the Monthly Operator Change letter on 7-28-00
STAT	E BON	ID VERIFICATION
N/A	1.	State Well(s) covered by Bond No
FEE V	VELLS	S - BOND VERIFICATION / LEASE INTEREST OWNER NOTIFICATION
N/A	1.	(R649-3-1) The NEW operator of any fee lease well(s) listed above has furnished a proper bond.
N/A	2.	A copy of this form has been placed in the new and former operator's bond files on
N/A	3.	The FORMER operator has requested a release of liability from their bond as of todays date? If yes, Division response was made to this request by letter dated (see bond file).
N/A	4.	(R649-2-10) The Former operator of any Fee lease wells listed above has been contacted and informed by letter dated, of their responsibility to notify all interest owners of this change.
N/A	5.	Bond information added to RBDMS on
<u>N/A</u>	6.	Fee wells attached to bond in RBDMS on
FILM	ING	
	1.	All attachments to this form have been microfilmed on
FILIN	G	
	1.	Originals/Copies of all attachments pertaining to each individual well have been filed in each well file.
	2.	The original of this form has been filed in the operator file and a copy in the old operator file.
COM	MENT	

Form 3160-5 (August 1999)

L_. FED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OMB No. 1004-0135 Expires November 30, 2000 5. Lease Serial No.

FORM APPROVED

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposal to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

U-013766
6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICA	7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well	RIVERBEND UNIT			
Oil Well Gas Well Ot	8. Well Name and No.			
2. Name of Operator	RBU 7-15E 9. API Well No.			
DOMINION EXPLORATION & PRODU 3a. Address	CHON, INC.	3b. Phone No. (inclu	ide area code)	43-047-32166
16945 NORTHCHASE DRIVE, SUI TEXAS 77060		281/8	73-3692	10. Field and Pool, or Exploratory Area NATURAL BUTTES
4. Location of Well (Footage, Sec., T., R., M., or Survey De	escription)			MITOIGIE BOTTES
2450' FEL & 1450' FNL SW NE SEC. 15, T10S, R19E				11. County or Parish, State
SW NE SEC. 13, 1103, R13E				UINTAH COUNTY, UTAH
12. CHECK APPROPR	IATE BOX(ES) TO INDICAT	E NATURE OF N	IOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
Notice of Intent	Acidize	Deepen	Production (Start/Res	sume) Water Shut-Off
	Alter Casing	Fracture Treat	Reclamation	Well Integrity
Subsequent Report	Casing Repair	New Construction	Recomplete	Other Run dump line
	Change Plans	Plug and Abandon	Temporarily Abando	-
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal	a cover reserve pri
13. Describe Proposed or Coommpleted Operation (of the proposal is to deepen directionally or recommendate the Bond under which the work will be perford completion of the involved operations. If the operation of the involved operations is the completed. Final Abandonment Notices shall be site is ready for final inspection.)	plete horizontally, give subsurface lend or provide the Bond No. on feration results in a multiple completed only after all requirements, in	ocations and measure ile with BLM/BIA. I ion or recompletion a icluding reclamation,	ed and true vertical dept Required subsequent rep in a new interval, a Forn have been completed, a	hs of all pertinent markers and zones. Attach orts shall be filed within 30 days following n 3160-4 shall be filed once testing has been nd the operator has determined that the final
Dominion requests permission to in order to pull off water from the bordisposal well.	istall a 2" blow line at the ttom of the tank. All water	production tan er will be haule	k and run a 1" du	mp line to the production tank in disposed of at the RBU 16-19F
Dominion also requests permission contours and will be completely of mixture for this area.	lry before any work take	t. The pit ares s place. The scepted by Itah Division	area will also be the	ured to the approximate natural reseeded using the appropriate
-1 Of This	3-20-01 OII	Gas and M	ining	
Federal Approval Of This Action Is Necessary	Date:	3-20		-
ACTION IS 140000000	Ву:	RAN	17hr	
14. I hereby certify that the foregoing is true and correct				
Name (Printed/Typed) DIANN FLOWERS		Title REGU	JLATORY SPECL	ALIST
Oine Mai	CH 15, 2001			
Signature 471 WW 5 CK CC	HIS SPACE FOR FEDER	ALORSTATE	office use	
Approved by		Title		Date
Conditions of approval, if any, are attached. Approval of this the applicant holds legal or equitable title to those rights in the applicant to conduct operations thereon.	is notice does not warrant or certify that in the subject lease which would entitle	Office		

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING	
1. DJJ	
2. CDW	

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has char			7/1/2007									
FROM: (Old Operator):				TO: (New Operator):								
N1095-Dominion Exploration & Production, Inc				N2615-XTO Energy Inc								
14000 Quail Springs Parkway, Suite 600	14000 Quail Springs Parkway, Suite 600			810 Houston St								
Oklahoma City, OK 73134	Oklahoma City, OK 73134			Fort Worth, TX 76102								
Phone: 1 (405) 749-1300	Phone: 1 (405) 749-1300			Phone: 1 (817) 870-2800								
CA No.	0.			Unit:		RIVER I	BEND					
WELL NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE TYPE	WELL	WELL				
CEE ATTACHED LICT	-	1	· · · · · · · · · · · · · · · · · · ·		NO		TYPE	STATUS				
SEE ATTACHED LIST		<u> </u>		<u></u>	J	<u> </u>	<u> </u>	<u> </u>				
OPERATOR CHANGES DOCUMENT	ATI	ON										
Enter date after each listed item is completed												
1. (R649-8-10) Sundry or legal documentation w	as rec	eived f	rom the	FORMER ope	erator on:	8/6/2007						
2. (R649-8-10) Sundry or legal documentation w	as rec	eived f	rom the	NEW operator	on:	8/6/2007	-					
3. The new company was checked on the Depart	ment	of Cor	nmerce	, Division of C	orporation	s Database on:	•	8/6/2007				
4a. Is the new operator registered in the State of	Utah:			Business Numl	ber:	5655506-0143						
4b. If NO, the operator was contacted contacted	on:			-			-					
5a. (R649-9-2)Waste Management Plan has been r	eceive	ed on:		IN PLACE								
5b. Inspections of LA PA state/fee well sites comp	olete c	n:		n/a	-							
5c. Reports current for Production/Disposition &	Sundr	ies on:		ok	- '							
6. Federal and Indian Lease Wells: The B	LM aı	nd or th	e BIA l	nas approved the	- e merger, na	me change,						
or operator change for all wells listed on Feder	ral or	Indian	leases c	on:	BLM		BIA	_				
7. Federal and Indian Units:					,	-		_				
The BLM or BIA has approved the successor	r of u	nit ope	rator for	r wells listed on	:							
8. Federal and Indian Communization Ag	green	nents (("CA") :								
The BLM or BIA has approved the operator		l wells					-					
9. Underground Injection Control ("UIC	-					orm 5, Transfer	of Auth	ority to				
Inject, for the enhanced/secondary recovery u	nit/pro	oject fo	r the wa	ater disposal we	ll(s) listed o	n:		_				
DATA ENTRY:												
1. Changes entered in the Oil and Gas Database				9/27/2007	-	0/07/2007						
2. Changes have been entered on the Monthly O3. Bond information entered in RBDMS on:	perai	or Una	ınge Sp	9/27/2007		9/27/2007	-					
 Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS o 	n·			9/27/2007	-							
5. Injection Projects to new operator in RBDMS				9/27/2007	-							
6. Receipt of Acceptance of Drilling Procedures		PD/Nev	v on:		9/27/2007	_						
BOND VERIFICATION:												
1. Federal well(s) covered by Bond Number:				UTB000138	_							
2. Indian well(s) covered by Bond Number:				n/a		101010760						
3a. (R649-3-1) The NEW operator of any state/f						104312762	-					
3b. The FORMER operator has requested a relea	se of	liability	from the	heir bond on:	1/23/2008	•						
The Division sent response by letter on:	CI A PP	ION										
LEASE INTEREST OWNER NOTIFIC				land informed to	sv o 10440m C	om the Division						
4. (R649-2-10) The NEW operator of the fee well of their responsibility to notify all interest own					by a letter fr	om me Division						
COMMENTS:	019 OI	ans on	mige OII			<u> </u>						

STATE OF UTAH

	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS AND MII		5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY	NOTICES AND REPORTS	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	ew wells, significantly deepen existing wells below curretterals. Use APPLICATION FOR PERMIT TO DRILL fo		7. UNIT or CA AGREEMENT NAME:
TYPE OF WELL OIL WELL	F-1	om to sour proposals.	8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:			SEE ATTACHED 9. API NUMBER:
XTO Energy Inc.	N2615		SEE ATTACHED
3. ADDRESS OF OPERATOR: 810 H	ouston Street	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
	Y Fort Worth STATE TX ZIP	76102 (817) 870-2800	Natural Buttes
4. LOCATION OF WELL FOOTAGES AT SURFACE: SEE A	TTACHED		соимту: Uintah
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:		STATE: UTAH
11. CHECK APPI	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF
Date of Work Completion.	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all p	pertinent details including dates, depths, volum	nes, etc.
Effective July 1, 2007,	XTO Energy Inc. has purchased t	the wells listed on the attachmer	nt from:
Dominion Exploration & 14000 Quail Springs Pa Oklahoma City, OK 73	arkway, Suite 600 / / / / / / / / / / / / / / / / / /		
Please be advised that under the terms and co	neral Manager - Western Busines t XTO Energy Inc. is considered to conditions of the lease for the oper	ss Unit to be the operator on the attache ations conducted upon the lease	e lands. Bond coverage
is provided by Nationw	ride BLM Bond #104312750 and I	Department of Natural Resource	s Bond #104312762.
NAME (PLEASE PRINT) Edwin S. I	Ryan, Jr.	TITLE Sr. Vice Preside	nt - Land Administration
SIGNATURE ECLIVER	I hopen. IR	DATE <u>7/31/2007</u>	
(This space for State use only)	A. adi na		RECEIVED
APPROVE	<u>912/10/</u>		AUG 0 6 2007
	. II A		

(5/2000)

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

DIV. OF OIL, GAS & MINING

RIVER BEND UNIT

			•							
api	well_name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304730087	OSCU 2	NWSE	03	100S	200E	U-037164	7050	Federal	GW	P
4304730266	RBU 11-18F	NESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304730374	RBU 11-13E	NESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304730375	RBU 11-15F	NESW	15	100S	200E	U-7206	7050	Federal	GW	P
4304730376	RBU 7-21F	SWNE	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304730405	RBU 11-19F	NESW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304730408	RBU 11-10E	NESW	10	100S	190E	U-013792	7050	Federal	GW	P
4304730410	RBU 11-14E	NESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304730411	RBU 11-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304730412	RBU 11-16F	NESW	16	100S	200E	U-7206	7050	Federal	GW	P
4304730585	RBU 7-11F	SWNE	11	100S	200E	U-01790	7050	Federal	GW	P
4304730689	RBU 11-3F	NESW	03	100S	200E	U-013767	7050	Federal	GW	P
4304730720	RBU 7-3E	SWNE	03	100S	190E	U-013765	7050	Federal	GW	P
4304730759	RBU 1.1-24E	NESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304730761	RBU 7-10F	SWNE	10	100S	200E	U-7206	7050	Federal	GW	P
4304730762	RBU 6-20F	SENW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304730768	RBU 7-22F	SWNE	22	100S	200E	14-20-H62-2646	7050	Indian	GW	P
4304730887	RBU 16-3F	SESE	03	100S	200E	U-037164	7050	Federal	GW	P
4304730915	RBU 1-15E	NENE	15	100S	190E	U-013766	7050	Federal	GW	P
4304730926	RBU 1-14E	NENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304730927	RBU 1-22E	NENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304730970	RBU 1-23E	NENE	23	100S	190E	U-013766	7050	Federal	GW	P
4304730971	RBU 4-19F	NWNW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304730973	RBU 13-11F	SWSW	11	100S	200E	U-7206	7050	Federal	WD	A
4304731046	RBU 1-10E	NWNE	10	100S	190E	U-013792	7050	Federal	GW	S
4304731115	RBU 16-16F	SESE	16	100S	200E	U-7206	7050	Federal	GW	P
4304731140	RBU 12-18F	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304731141	RBU 3-24E	NENW	24	100S	190E	U-013794	7050	Federal	GW	P
4304731143	RBU 3-23E	NENW	23	100S	190E	U-013766	7050	Federal	GW	
4304731144	RBU 9-23E	NESE	23	100S	190E	U-013766	7050	Federal	GW	P
4304731145	RBU 9-14E	NESE	14	100S	190E	U-013792		Federal	GW	
4304731160	RBU 3-15E	NENW	15			U-013766		Federal		
4304731161	RBU 10-15E	NWSE	15	100S	190E	U-013766		Federal		
4304731176	RBU 9-10E	NESE	10	100S	190E	U-013792		Federal		
4304731196	RBU 3-14E	SENW	14	100S	190E	U-013792		Federal		
4304731252	RBU 8-4E	SENE	04	100S	190E	U-013792		Federal		
4304731322	RBU 1-19F	NENE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304731323	RBU 5-10E	SWNW	10	100S	190E	U-013792	7050	Federal	GW	P
4304731369	RBU 3-13E	NENW	13			U-013765		Federal		
4304731518	RBU 16-3E	SESE	03	100S	190E	U-035316		Federal		
4304731519	RBU 11-11F	NESW	11	100S	200E	U-7206		Federal		
4304731520	RBU 1-17F	NENE	17	100S	200E	U-013769-B		Federal		
4304731605	RBU 9-13E	NESE	13			U-013765		Federal		
4304731606	RBU 3-22E	NENW	22	1		U-013792		Federal		
4304731607	RBU 8-24E	SENE	24	100S	190E	U-013794	1	Federal		
4304731608	RBU 15-18F	SWSE	18	100S	200E	U-013794	7050	Federal	GW	P

1 09/27/2007

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304731613	RBU 5-11F	SWNW	11	 		U-7206		Federal		P
4304731615	RBU 4-22F		22			U-0143521-A		Federal		S
4304731652	RBU 6-17E	SWNW	17	·		U-03535		Federal		P
4304731715	RBU 5-13E	SWNW	13			U-013765		Federal		P
4304731717	RBU 13-13E	SWSW	13			U-013765		Federal		P
4304731739	RBU 9-9E	NESE	09		<u> </u>	U-03505		Federal		P
4304732033	RBU 13-14E	SWSW	14			U-013792		Federal		P
4304732037	RBU 11-3E	NESW	03			U-013765		Federal		P
4304732038	RBU 6-18F	SENW	18	100S	200E	U-013769		Federal		P
4304732040	RBU 15-24E	SWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304732041	RBU 5-14E	SWNW	14	100S	190E	U-013792	7050	Federal	GW	P
4304732050	RBU 12-20F	NWSW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304732051	RBU 7-13E	SWNE	13	100S	190E	U-013765	7050	Federal	GW	P
4304732070	RBU 16-19F	SESE	19	100S	200E	U-013769-A	7050	Federal	WD	A
4304732071	RBU 9-22E	NESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304732072	RBU 15-34B	SWSE	34	090S	190E	U-01773	7050	Federal	GW	P
4304732073	RBU 11-15E	NESW	15	100S	190E	U-013766	7050	Federal	GW	P
4304732074	RBU 13-21F	SWSW	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304732075	RBU 10-22F	NWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304732081	RBU 9-20F	NESE	20	100S	200E	U-0143520-A		Federal		
4304732082	RBU 15-23E	SWSE	23	100S	190E	U-013766	7050	Federal		
4304732083	RBU 13-24E	SWSW	24	100S	190E	U-013794	7050	Federal	GW	
4304732095	RBU 3-21E	NENW	21	100S	190E	U-013766	7050	Federal	GW	P
4304732103	RBU 15-17F	SWSE	17			U-013769-C	<u> </u>	Federal		P
4304732105	RBU 13-19F	SWSW	19			U-013769-A	 	Federal	GW	P
4304732107	RBU 1-21E	NENE	21	<u> </u>		U-013766		Federal		P
4304732128	RBU 9-21E	NESE	21			U-013766		Federal		P
4304732129	RBU 9-17E	NESE	17	4		U-03505		Federal		P
4304732133	RBU 13-14F	SWSW	14			U-013793-A		Federal	4	P
4304732134	RBU 9-11F	NESE	11			U-7206		Federal		P
4304732138	RBU 5-21F	SWNW	21		1	U-013793		Federal		P
4304732146	RBU 1-20E	NENE	20			U-03505	1	Federal		P
4304732149	RBU 8-18F	SENE	18	 	ļ	U-013769		Federal		P
4304732153	RBU 13-23E	SWSW			and the state of the state of	U-13766		Federal		
4304732154	RBU 5-24E	SWNW	24			U-013794		Federal		
4304732156	RBU 5-14F	SWNW	14			U-013793A	A.c.	Federal		
4304732166	RBU 7-15E	SWNE	15			U-013766		Federal		
4304732167	RBU 15-13E	SWSE	13			U-013765		Federal		
4304732189	RBU 13-10F	SWSW	10			14-20-H62-2645		Indian	GW	1
4304732190	RBU 15-10E	SWSE	10			U-013792		Federal		
4304732191	RBU 3-17FX	NENW	17		<u> </u>	U-013769-C		Federal		
4304732197	RBU 13-15E	SWSW	15			U-013766		Federal		
4304732198	RBU 7-22E	SWNE	22			U-013792		Federal		
4304732199	RBU 5-23E	SWNW	23			U-013766		Federal		·
4304732201	RBU 13-18F	SWSW	18			U-013793		Federal		
4304732211	RBU 15-15E	SWSE	15	1008	190E	U-013766	/050	Federal	UW	ľ

2

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304732213	RBU 5-19F	SWNW	19			U-013769-A		Federal	GW	
4304732217	RBU 9-17F	NESE	17			U-013769-C		Federal		
4304732219	RBU 15-14E	SWSE	14			U-013792		Federal	GW	
4304732220	RBU 5-3E	SWNW	03			U-03505		1	GW	
4304732228	RBU 9-3E	NESE	03	<u> </u>		U-035316			GW	
4304732239	RBU 7-14E	SWNE	14			U-103792			GW	
4304732240	RBU 9-14F	NESE	14			U-013793-A		Federal	GW	1
4304732242	RBU 5-22E	SWNW	22			U-013792		Federal	GW	
4304732263	RBU 8-13E	SENE	13			U-013765		Federal	GW	
4304732266	RBU 9-21F	NESE	21			U-0143520-A		Federal	GW	
4304732267	RBU 5-10F	SWNW	10			U-7206		Federal	GW	
4304732268	RBU 9-10F	NESE	10			U-7206		1	GW	
4304732269	RBU 4-15F	NWNW	15			INDIAN		Indian	GW	
4304732270	RBU 14-22F	SESW	22			U-0143519		Federal	GW	
4304732276	RBU 5-21E	SWNW	21			U-013766		Federal	GW	
4304732289	RBU 7-10E	SWNE	10			U-013792		Federal	GW	
4304732290	RBU 5-17F	SWNW	17			U-013769-C		Federal	GW	
4304732293	RBU 3-3E	NENW	03			U-013765			GW	
4304732295	RBU 13-22E	SWSW	22		ļ	U-013792			GW	
4304732301	RBU 7-21E	SWNE	21			U-013766		Federal	GW	
4304732309	RBU 15-21F	SWSE	21			U-0143520-A		Federal	GW	
4304732310	RBU 15-20F	SWSE	20	 		U-0143520-A		Federal	GW	
4304732312	RBU 9-24E	NESE	24		·	U-013794		Federal	GW	
4304732313	RBU 3-20F	NENW	20			U-013793-A		Federal	GW	P
4304732315	RBU 11-21F	NESW	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304732317	RBU 15-22E	SWSE	22	100S	190E	U-013792	7050	Federal	GW	P
4304732328	RBU 3-19FX	NENW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304732331	RBU 2-11F	NWNE	11	100S	200E	U-01790	7050	Federal	GW	P
4304732347	RBU 3-11F	NENW	11	100S	200E	U-7206	7050	Federal	GW	P
4304732391	RBU 2-23F	NWNE	23	100S	200E	U-013793-A	7050	Federal	GW	S
4304732392	RBU 11-14F	NESW	14	100S	200E	U-013793-A	7050	Federal	GW	P
4304732396	RBU 3-21F	NENW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304732407	RBU 15-14F	SWSE	14	100S	200E	U-013793-A		Federal		
4304732408	RBU 4-23F	NWNW	23	100S	200E	U-013793-A		Federal		
4304732415	RBU 3-10EX (RIG SKID)	NENW	10	100S	190E	UTU-035316		Federal		
4304732483	RBU 5-24EO	SWNW	24	100S	190E	U-013794		Federal		
4304732512	RBU 8-11F	SENE	11	 		U-01790		Federal		
4304732844	RBU 15-15F	SWSE	15			14-20-H62-2646		Indian	GW	
4304732899	RBU 3-14F	NENW	14			U-013793-A		Federal		
4304732900	RBU 8-23F	SENE	23			U-013793-A		Federal		
4304732901	RBU 12-23F	NWSW	23			U-01470-A		Federal		
4304732902	RBU 1-15F	NENE	15		1	U-7260		Federal		
4304732903	RBU 3-15F	NENW	15			U-7260		Federal		
4304732904	RBU 9-15F	NESE	15	100S	200E	U-7260		Federal		
4304732934	RBU 3-10F	NENW	10	-		U-7206		Federal		
4304732969	RBU 11-10F	NESW	10	100S	200E	U-7206	7050	Federal	GW	P

3 09/27/2007

RIVER BEND UNIT

api	well_name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304732970	RBU 12-15F	NWSW	15			U-7206		Federal		P
4304732971	RBU 15-16F	SWSE	16			U-7206		Federal	GW	ļ
4304732972	RBU 1-21F	NENE	21			U-013793-A	(Federal		P
4304732989	RBU 13-10E	SWSW	10			U-013792		Federal		P
4304732990	RBU 13-18F2	SWSW	18		 	U-013793		Federal		P
4304732991	RBU 6-19F	SENW	19			U-013769-A		Federal		P
4304733033	RBU 7-23E	NWNE	23			U-013766		Federal		P
4304733034	RBU 9-18F	NESE	18			U-013794		Federal		P
4304733035	RBU 14-19F	SESW	19			U-013769-A	·	Federal	1	P
4304733087	RBU 6-23F	SENW	23		 	U-013793-A		Federal		P
4304733088	RBU 1-10F	NENE	10			U-7206	ļ	Federal	·	P
4304733089	RBU 8-22F	SENE	22	1		U-0143521		Federal	1	P
4304733090	RBU 11-22F	NESW	22		1	U-0143519		Federal		P
4304733091	RBU 16-22F	SESE	22		<u> </u>	U-01470-A		Federal		P
4304733156	RBU 4-14E	NWNW	14		-	U-013792		Federal		P
4304733157	RBU 7-19F	SWNE	19			U-013769-A				P
4304733158	RBU 7-20F	SWNE	20			U-013793-A		Federal		P
4304733159	RBU 7-24E	SWNE	24		· · · · · · · · · · · · · · · · · · ·	U-013794		Federal		P
4304733160	RBU 8-15E	SENE	15			U-013766		Federal		P
4304733161	RBU 16-10E	SESE	10	 		U-013792		<u> </u>	<u> </u>	P
4304733194	RBU 2-14E	NWNE	14			U-013792		Federal	<u> </u>	P
4304733272	RBU 13-3F	SWSW	03	 		U-013767		Federal		P
4304733361	RBU 5-3F	SWNW	03			U-013767		Federal	-	P
4304733362	RBU 15-10F	SWSE	10			U-7206		Federal		P
4304733363	RBU 5-16F	SWNW	16	1		U-7206		Federal		P
4304733365	RBU 12-14E	NWSW	14			U-013792		Federal		P
4304733366	RBU 5-18F	SWNW	18			U-013769		Federal	GW	P
4304733367	RBU 10-23F	NWSE	23			U-01470-A		Federal	GW	
4304733368	RBU 14-23F	SESW	23			U-01470-A	7050	Federal	GW	S
4304733424	RBU 5-20F	SWNW	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304733643	RBU 2-13E	NWNE	13	100S	190E	U-013765	7050	Federal	GW	P
4304733644	RBU 4-13E	NWNW	13	100S	190E	U-013765	7050	Federal	GW	P
4304733714	RBU 4-23E	NWNW	23	100S	190E	U-013766	7050	Federal	GW	P
4304733715	RBU 6-13E	SENW	13	100S	190E	U-013765	7050	Federal	GW	P
4304733716	RBU 10-14E	NWSE	14	100S	190E	U-013792	7050	Federal	GW	P
4304733838	RBU 8-10E	SENE	10	100S	190E	U-013792	7050	Federal	GW	P
4304733839	RBU 12-23E	NWSW	23	100S	190E	U-013766	7050	Federal	GW	P
4304733840	RBU 12-24E	NWSW	24	100S	190E	U-013794	7050	Federal	GW	P
4304733841	RBU 14-23E	SESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734302	RBU 1-23F	NENE	23	100S	200E	UTU-013793-A	7050	Federal	GW	P
4304734661	RBU 16-15E	SESE	15	100S	190E	U-013766	7050	Federal	GW	P
4304734662	RBU 10-14F	NWSE	14	100S	200E	U-013793-A	7050	Federal	GW	P
4304734663	RBU 6-14E	SENW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734670	RBU 8-23E	NENE	23			U-013766	7050	Federal	GW	P
4304734671	RBU 4-24E	NENE	23		*************	U-013766	·	Federal	GW	P
4304734701	RBU 12-11F	SENW	11			U-7206		Federal		

09/27/2007

RIVER BEND UNIT

		· · · · · · · · · · · · · · · · · · ·		T	Τ	T		1_	T	
api	well_name	qtr_qtr	sec	twp	rng	lease_num		Lease	well	
4304734702	RBU 2-15E	NWNE	15			U-013766			GW	
4304734703	RBU 4-17F	NWNW	17		+	U-013769-C		<u> </u>	GW	
4304734745	RBU 10-20F	NESE	20			U-0143520-A	7050		GW	
4304734749	RBU 7-18F	SWNE	18		+	U-013769			GW	
4304734750	RBU 12-10F	SWSW	10		 	14-20-H62-2645	7050	Indian	GW	P
4304734810	RBU 10-13E	NWSE	13	100S	190E	U-013765	7050	Federal	GW	
4304734812	RBU 1-24E	NENE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734826	RBU 12-21F	NESE	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734828	RBU 4-15E	NWNW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734844	RBU 14-14E	SESW	14	100S	190E	U-013792	7050	Federal	GW	P
4304734845	RBU 10-24E	NWSE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734888	RBU 4-21E	NWNW	21	100S	190E	U-013766	7050	Federal	GW	P
4304734889	RBU 16-24E	SESE	24	100S	190E	U-13794	7050	Federal	GW	P
4304734890	RBU 12-18F2	NWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734891	RBU 10-23E	NESW	23	100S	190E	U-013766	7050	Federal	GW	P
4304734892	RBU 8-22E	SENE	22	100S	190E	U-013792	7050	Federal	GW	P
4304734906	RBU 6-22E	SENW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734907	RBU 2-24E	NWNE	24	100S	190E	U-013794	7050	Federal	GW	P
4304734910	RBU 4-16F	NWNW	16	100S	200E	U-7206	7050	Federal	GW	P
4304734911	RBU 12-19F	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734912	RBU 14-20F	SESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304734942	RBU 1-22F	NWNW	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304734945	RBU 8-19F	SENE	19	100S	200E	U-013769-A		Federal		
4304734946	RBU 8-20F	SENE	20	100S	200E	U-013793-A	7050	Federal	GW	P
4304734962	RBU 12-17F	NWSW	17	100S	200E	U-013769-C	7050	Federal	GW	P
4304734963	RBU 2-17F	NWNE	17	100S	200E	U-013769-C	14117	Federal	GW	P
4304734966	RBU 14-18F	SESW	18	100S	200E	U-013793	7050	Federal	GW	P
4304734967	RBU 10-18F	NWSE	18	100S	200E	U-013794	7050	Federal	GW	P
4304734968	RBU 10-19F	NWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304734969	RBU 10-3E	NWSE	03	100S	190E	U-035316	7050	Federal	GW	P
4304734970	RBU 12-3E	NWSW	03	100S	190E	U-013765	7050	Federal	GW	P
4304734971	RBU 15-3E	SWSE	03	100S	190E	U-35316	7050	Federal	GW	P
4304734974	RBU 12-10E	NWSW	10	100S	190E	U-013792	14025	Federal	GW	P
4304734975	RBU 14-10E		15			U-013766		Federal		
4304734976	RBU 16-13E	SESE	13	100S	190E	U-013765	7050	Federal	GW	P
4304734977	RBU 8-14E	SENE	14	100S	190E	U-013792	7050	Federal	GW	P
4304734978	RBU 6-15E	SENW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734979	RBU 12-15E	NWSW	15	100S	190E	U-013766	7050	Federal	GW	P
4304734981	RBU 16-17E	SESE	17	100S	190E	U-013766	7050	Federal	GW	P
4304734982	RBU 8-21E	SENE	21	100S	190E	U-013766	7050	Federal	GW	P
4304734983	RBU 4-22E	NWNW	22	100S	190E	U-013792	7050	Federal	GW	P
4304734986	RBU 2-20F	NWNE	20	100S	200E	U-03505		Federal		
4304734987	RBU 9-20E		21		+	U-03505	7050	Federal	GW	P
4304734989	RBU 7-20E	NENE	20			U-03505		Federal		
4304734990	RBU 8-20E	SWNW	21			U-03505		Federal		
4304735041	RBU 16-23E	SWSE				U-013766		Federal		

5 09/27/2007

RIVER BEND UNIT

api	well name	qtr_qtr	sec	twp	rng	lease_num	entity	Lease	well	stat
4304735042	RBU 12-22E	NWSW	22			U-013792	14165	Federal	GW	P
4304735058	RBU 7-23F	SWNE	23	100S	200E	U-013793-A	7050	Federal	GW	P
4304735059	RBU 12-13E	NWSW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735060	RBU 14-13E	SESW	13	100S	190E	U-013765	7050	Federal	GW	P
4304735061	RBU 2-22E	NWNE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735062	RBU 6-24E	SENW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735082	RBU 4-17E	NWNW	17	100S	190E	U-03505	7050	Federal	GW	P
4304735086	RBU 16-14E	NENE	23	100S	190E	U-013792	7050	Federal	GW	P
4304735087	RBU 2-3E	NWNE	03	100S	190E	U-013765			GW	P
4304735088	RBU 6-3E	SENW	03	100S	190E	U-03505	7050	Federal	GW	P
4304735100	RBU 10-10E	NWSE	10	100S	190E	U-013792	7050	Federal	GW	P
4304735101	RBU 16-22E	SESE	22	100S	190E	U-013792	7050	Federal	GW	P
4304735112	RBU 14-24E	SESW	24	100S	190E	U-013794	7050	Federal	GW	P
4304735129	RBU 6-21F	SENW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735170	RBU 1-9E	NESE	09	100S	190E	U-03505	7050	Federal	GW	P
4304735171	RBU 16-9E	NESE	09	100S	190E	U-013765	7050	Federal	GW	P
4304735232	RBU 14-21F	SESW	21	100S	200E	U-0143520	7050	Federal	GW	P
4304735250	RBU 13-19F2	NWSW	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735251	RBU 15-19F	SWSE	19	100S	200E	U-013769-A	7050	Federal	GW	P
4304735270	RBU 16-21E	SESE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735304	RBU 13-20F	SWSW	20	100S	200E	U-013769	7050	Federal	GW	P
4304735305	RBU 4-21F	NWNW	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304735306	RBU 16-21F	SESE	21	100S	200E	U-0143520-A	7050	Federal	GW	P
4304735468	RBU 15-22F	SWSE	22	100S	200E	U-01470-A	7050	Federal	GW	P
4304735469	RBU 11-23F	SENW	23	100S	200E	U-01470A	7050	Federal	GW	P
4304735549	RBU 1-14F	NENE	14	100S	200E	UTU-013793-A	7050	Federal	GW	
4304735640	RBU 2-21E	NWNE	21	100S	190E	U-013766	7050	Federal	GW	P
4304735644	RBU 10-17E	NWSE	17	100S	190E	U-013766	7050	Federal	GW	
4304735645	RBU 12-21E	NWSW	21	100S	190E	U-013766	7050	Federal	GW	
4304736200	RBU 8-17E	SWNE	17			U-013766	7050	Federal	GW	
4304736201	RBU 15-17EX	SWSE	17			U-013766		Federal	GW	
4304736293	RBU 2-10E	NWNE	10			U-013792			GW	
4304736294	RBU 6-10E	NENW	10			U-013792		Federal		
4304736296	RBU 6-21E	SENW	21			U-013766		Federal		
4304736297	RBU 10-22E	NWSE	22	· · · · · · · · · · · · · · · · · · ·	ļ:	U-013792		Federal		
4304736318	RBU 14-22E	SESW	22			U-013792		Federal		
4304736427	RBU 9-15E	NESE	15	<u> </u>		U-013766				DRL_
4304736428	RBU 2-17E	NWNE	17			U-013766		Federal		
4304736429	RBU 1-17E	NENE	17		 	U-013766		Federal		
4304736432	RBU 3-19F2	NWNW	19	·		U-013769-A	 		GW	
4304736433	RBU 14-17F	SESW	17			U-03505	- 	Federal	GW	
4304736434	RBU 2-19F	NWNE	19			U-013769-A			GW	
4304736435	RBU 5-19FX	SWNW	19			U-013769-A		1	GW	<u> </u>
4304736436	RBU 4-20F	NWNW			1	U-013793-A		Federal		
4304736605	RBU 16-14F	SESE	14			U-013793A		Federal		
4304736608	RBU 4-3E	NWNW	03	100S	190E	U-035316	7050	Federal	GW	P

6 09/27/2007

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304736609	RBU 8-3E	SENE	03			U-013765		Federal	GW	P
4304736610	RBU 14-3E	SESW	03	100S	190E	U-013765	7050	Federal	GW	P
4304736686	RBU 13-3E	NWSW	03	100S	190E	U-013765	15235	Federal	GW	P
4304736810	RBU 1-3E	NENE	03	100S	190E	U-013765	7050	Federal	GW	DRL
4304736850	RBU 2-10F	NWNE	10	100S	200E	U-7206	7050	Federal	GW	P
4304736851	RBU 8-21F	SENE	21	100S	200E	U-013793-A	7050	Federal	GW	P
4304737033	RBU 4-10E	SWNW	10	100S	190E	U-035316	7050	Federal	GW	P
4304737057	RBU 11-17E	NWSE	17	100S	190E	U-03505	7050	Federal	GW	DRL
4304737058	RBU 3-17E	NENW	17	100S	190E	U-03505	7050	Federal	GW	P
4304737201	RBU 3-23F	NENW	23	100S	200E	U-013793-A	7050	Federal	OW	P
4304737341	RBU 11-20F	NESW	20	100S	200E	U-0143520-A	7050	Federal	GW	P
4304737342	RBU 5-15F	SWNW	15	100S	200E	U-7206	7050	Federal	OW	P
4304737343	RBU 10-16F	NWSE	16	100S	200E	U-7206	7050	Federal	OW	P
4304737344	RBU 9-16F	NESE	16	100S	200E	U-7206	7050	Federal	OW	S
4304737450	RBU 14-17E	SESW	17	100S	190E	U-03505	7050	Federal	GW	P
4304737747	RBU 15-9E	NWNE	16	100S	190E	U-013765	7050	Federal	GW	DRL
4304737893	RBU 9-4EA	SENE	04	100S	190E	U-03505	7050	Federal	GW	P
4304737998	RBU 13-23F	SWSW	23	100S	200E	U-01470-A	7050	Federal	GW	P
4304738181	RBU 12-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL
4304738182	RBU 11-4E	SE/4	04	100S	190E	U-03505	99999	Federal	GW	DRL
4304738294	RBU 2-4E	NWNE	04	100S	190E	U-013792	7050	Federal	GW	DRL
4304738295	RBU 5-4E	SWNW	04	100S	190E	U-03576	99999	Federal	GW	DRL
4304738543	RBU 28-18F	NESE	13	100S	190E	U 013793-A	7050	Federal	GW	DRL
4304738548	RBU 32-13E	NESE	13	100S	190E	U-013765	7050	Federal	GW	DRL
4304738555	RBU 27-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738556	RBU 27-18F2	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738557	RBU 30-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	P
4304738558	RBU 29-18F	SWSW	18	100S	200E	U-013793	7050	Federal	GW	DRL
4304738595	RBU 31-10E	NENE	15	100S	190E	U-013792		Federal	GW	DRL
4304738596	RBU 17-15E	NENE	15	100S	190E	U-013766		Federal	GW	DRL
4304738780	RBU 8B-17E	SENE	17	100S	190E	U-013766	7050	Federal	GW	DRL

7 09/27/2007

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

RIVER BEND UNIT

api	well name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4304730153	NATURAL 1-2	SENW	02			ML-10716	11377		OW	PA
4304730260	RBU 11-16E	NESW	16	100S		ML-13214		State	GW	S
4304730583	RBU 11-36B	NESW	36	090S	 	ML-22541	99998		NA	PA
4304730608	RBU 8-16D	SENE	16	100S	180E	ML-13216	99998		NA	PA
4304730760	RBU 11-2F	NESW	02	100S	200E	ML-10716	9966	State	OW	S
4304731740	RBU 1-16E	NENE	16	100S	190E	ML-13214	7050	State	GW	P
4304732026	RBU 16-2F	SESE	02	100S	200E	ML-10716		State	GW	P
4304732042	RBU 9-16E	NESE	16	100S	190E	ML-13214	7050	State	GW	P
4304732108	RBU 14-2F	SESW	02	100S	200E	ML-10716	7050	State	GW	P
4304732136	RBU 8-2F	SENE	02	100S	200E	ML-10716	7050	State	GW	P
4304732137	RBU 5-16E	SWNW	16	100S	190E	ML-13214	7050	State	GW	P
4304732245	RBU 7-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732250	RBU 13-16E	SWSW	16	100S	190E	ML-13214	7050	State	GW	S
4304732292	RBU 15-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	PA
4304732314	RBU 10-2F	NWSE	02	100S	200E	ML-10716	7050	State	GW	P
4304732352	RBU 3-16F	NENW	16	100S	200E	ML-3393-A	7050	State	GW	P
4304733360	RBU 1-16F	NENE	16	100S	200E	ML-3393	7050	State	GW	P
4304734061	RBU 6-16E	SWNE	16	100S	190E	ML-13214	7050	State	GW	P
4304734167	RBU 1-2F	NENE	02	100S	200E	ML-10716		State	GW	LA
4304734315	STATE 11-2D	NESW	02	100S	180E	ML-26968		State	GW	LA
4304734903	RBU 14-16E	SWSW	16	100S	190E	ML-13214	7050	State	D	PA
4304735020	RBU 8-16E	SENE	16	100S	190E	ML-13214	7050	State	GW	P
4304735021	RBU 10-16E	SWSE	16	100S	190E	ML-13214	7050	State	GW	P
4304735022	RBU 12-16E	NESW	16	100S	190E	ML-13214	7050	State	GW	P
4304735023	RBU 16-16E	SWSW	15	100S	190E	ML-13214	7050	State	GW	P
4304735033	RBU 2-16E	NWNE	16	100S	-	ML-13214	7050	State	GW	P
4304735081	RBU 15-2F	SWSE	02			ML-10716		State		P
4304735348	RBU 13-16F	NWNW	21		-	ML-3394	7050	State	GW	DRL
4304736169	RBU 4-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P
4304736170	RBU 3-16E	NENW	16	100S	190E	ML-13214	7050	State	GW	P



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155



6000

IN REPLY REFER TO 3180 UT-922

Dominion Exploration & Production, Inc. Attn: James D. Abercrombie 14000 Quail Springs Parkway, #600 Oklahoma City, OK 73134-2600

August 10, 2007

Re:

River Bend Unit Uintah County, Utah

Gentlemen:

On August 8, 2007, we received an indenture dated June 30, 2007, whereby Dominion Exploration & Production, Inc. resigned as Unit Operator and XTO Energy Inc. was designated as Successor Unit Operator for the River Bend Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective August 15, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the River Bend Unit Agreement.

Your statewide oil and gas bond No. UTB000138 will be used to cover all operations within the River Bend Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble Acting Chief, Branch of Fluid Minerals


Enclosure

AUG 1 6 2007

DIV. OF OIL, GAS & MINING

API Well No: 43047321660000

STATE OF UTAH			FORM 9			
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINII	NG	5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766			
SUND	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	7.UNIT or CA AGREEMENT NAME: RIVER BEND					
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E			
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000			
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		E NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSHI	P, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: S		STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	_ ACIDIZE	ALTER CASING	CASING REPAIR			
Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME			
7/14/2010	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE			
SUBSEQUENT REPORT	✓ DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK			
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
☐ DRILLING REPORT	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION			
Report Date:	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR CO	DMPLETED OPERATIONS. Clearly show all pertin	ent details including dates, depths, v	olumes, etc.			
XTO Energy hereby resectfully requests permission to deepen the existing RBU 7-15E to 8950' utilizing the attached drilling plan and deepening procedure. The existing well site will not be expanded beyond existing disturbance, and the origianl pit will be excavated and re-lined. A drawing with the previous pit dimension is attached. The XTO interim reclamation plan incorporating the the Green River District Reclamation Guidelines is also Date: June 23, 2010 By: B						
NAME (PLEASE PRINT) Eden Fine	PHONE NUMBER 505 333-3664	TITLE Permitting Clerk				
SIGNATURE		DATE				
N/A		6/16/2010				



XTO Energy Inc. **RBU 07-15E** Sec 15-T10S-R19E UINTAH co., UTAH API No. 43-047-32166

Date: May 28, 2010

Deepen the well to Mesaverde.

WELL DATA:

ELEVATION:

5148' GL

PROPOSED TD:

8950'

CURRENT TD:

7400'

CASING:

5-1/2" 17#, N-80 at 7393'

CURRENT PERFS: 5713', 17', 22', 26', 46', 50', 54', 59', 63', 70', 5812', 16', 22', 32', 34',

6134', 38', 42', 44', 52', 54', 59', 6296', 6302', 04', 10' & 6510' (Wasatch)

Prior to the drilling rig, a work-over rig will have been mobilized to location for production equipment removal. Operations will be pursued to squeeze existing perforations, POOH and pick up bit, drill out cement across the perforation face, and test the squeeze holes (perforations) to a 10.0 ppg EMW value prior to drilling out the 5-1/2" casing. Following the test, the remaining cement and float track, the shoe, and 15' of open hole will be drilled to ensure a clean wellbore for drill out.

BACKGROUND INFORMATION:

The well was drilled and completed by CNG PRODUCING CO. in 1992. The well was completed by fracing three separate intervals (between 5713' - 6510') in the Wasatch. The well did not penetrate the Mesaverde.

DETAILED PROCEDURE:

- 1. MIRU drilling rig.
- 2. Install and test BOPE.
- 3. PU ±5-1/4" OD Bi-Center (RWD) bit, BHA, and 2 7/8" DP and trip into the wellbore.
- 4. Drill the productive interval to a total depth of *8950'.
- 5. Log well with slim hole triple-combo log.
- 6. RIH to condition hole for running the string of 4", 10.7# (Nom. Wt), L-80, FJ Conn (3.476" ID, 3.351" Drift) casing.
- 7. POOH, RU and RIH with the 4" casing string, set the mandrel type hanger, and cement in place.
- 8. NU the 5000 psi WP tubing head on top of the Wellhead "B" Section Flange.

Deepen the well to Mesaverde (Continued)

WELL DATA:

ELEVATION: 5148' PROPOSED TD: 8950' CURRENT TD: 7400'

CASING: 5-1/2" 17#, N-80 at 7393'

CURRENT PERFS: 5713', 17', 22', 26', 46', 50', 54', 59', 63', 70', 5812', 16', 22', 32', 34',

6134', 38', 42', 44', 52', 54', 59', 6296', 6302', 04', 10' & 6510' (Wasatch)

9. Rig Down, release and de-mobilize the drilling rig.

- 10. A completion services unit will be mobilized to the location, and in conjunction with an electric wireline unit, will successively perforate the prospective pay zones inside the 4" casing string, fracture stimulate through the Mesaverde target objectives, and isolate the various Mesa Verde pay zones with bridge plugs set in the 4" OD string after each stage.
- 11. After the fracture stimulation and isolation operations are completed, all of the isolation plugs will be drilled out in succession. Fluid flow back and zonal clean-up operations will be implemented, and then completion equipment installed to initiate production.

Drilling Plan

Approval of Operations

Attachment for the Sundry Permit to Deepen from the Wasatch zones to the Mesaverde zone (8,950' TD)

Name of Operator:

XTO Energy, Inc.

Address:

382 Road 3100 Aztec, NM 87410

Well Location:

RBU #07-15E

SHL: 1,450' FNL & 2,450' FEL

Section 15-10S-19E Uintah County, UT

GEOLOGIC SURFACE FORMATION

Uintah

ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS

Formation	Depth (TVD/MD)
Shoe of 5 ½" Production Csg.	7,393'
Wasatch	4,784'
Uteland Buttes Mbr. (behind pipe)	6,577'
Mesaverde	7,683'

ESTIMATED DEPTHS OF ANTICIPATED WATER. OIL, GAS OR MINERALS

Formation	MD Depth	Type	
Wasatch	(Above Shoe) 4,784'	Gas	
Uteland Buttes Member	(Above Shoe) 6,577'	Gas	
Mesaverde	7,683'	Gas	

PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

Type	Size	Weight	Grade	Conn.	Top	Bottom	Hole
Casing	4"	10.7 ppf (Nom)	L-80	FJ	Surface	8,950'	5 1/4" (bi-center/RWD bit)

OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

Production/Liher hole: Prior to drilling out the production casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from surface to total depth. The blind rams will be tested once per day from surface to total depth if operations permit.

Drilling Plan

Approval of Operations

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling out surface casing shoe and anytime a new casing string is set. All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram Type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi (after set surface)
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

6. MUD SYSTEMS

- KCL mud systemwill be used to drill well.
- The mud system will be monitored manually/visually.
- The pit that was utilized when RBU #07-15E was originally drilled will be excavated and re-lined. This pit will
 be utilized for deepening this well and potentially for drilling the other directional wells that originate from
 this drill site See attachment for location of the mud pit.

Depths	Mud Weight (ppg)	Mud System
7,393' - 8,950	8.8 – 9.0	Fresh water 2% KCL/KCL mud system

BLOOIE LINE

- An automatic igniter will be installed on blooie line. The blooie will have a contant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooic line discharge will be a minimum of 80' from the wellhead.

8.. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

TESTING. LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- One electric line wire-log will be run from total depth to production casing.
- The gamma ray will be left on to record from TD to production casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to production casing.

10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 2,500 3,000 psi (lower than normal pressure gradient).
- No abnormal temperature or pressures are anticipated.
- · The formations to be penetrated do not contain known H2S gas.

Drilling Plan

Approval of Operations

11. WATER SUPPLY

- No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on existing lease road(s).
- Water will be hauled from either an existing well (OCS#1, Sec 17, T10S, R20E Application #54801, Users Claim Code #49, Serial #801) or an adjacent water source with an Approved Water Permit.

12. CEMENT SYSTEMS

- a. Production Casing Cement:
 - The top of the perforations to be cement squeezed is 5,713'. Squeeze perforations will be tested to 500 psi
 minimum before the squeeze cement is drilled out.
 - Drill ±5-1/4" OD hole (bi-center/RWD bit) to 8,950'±, run and cement 4" full string of casing.
 - Cement top is calculated at ~5,200' (top of existing perforations is at 5,713'). The mandrel type hanger will be set
 in the spool profile prior to initiating the cement process.
 - After plug is displaced to the float collar, the displacement plug will be bumped with pressure, and then the floats checked for fluid flow-back.
 - The 4" casing production string will be pressure tested prior to subsequent completions.

					Gauge Hole	Cement
Type	Sacks	Interval	Density	Yield	Volume	Volume
Tail	140	5,200' - 8,950'	13.0 ppg	1.73 CFS	193 CF	242 CF

Cement design volume is an estimate based on 50% excess of gauge hole from 8,950' -7,393' plus gauged hole between pipes back up to a depth of 5200'. Actual volumes will be calculated from caliper log to bring tail cement to 5,200' (2,193' above the 5-1/2" shoe).

Tail Mix: Cla

Class 'G' Premium Grade 65/35 Poz Cement (w/gel, silicate, FLA).

Slurry yield:

1.73 cf/sack Slurry weight:

13.00 #/gal.

Water requirement:

9.02 gal/sack

Compressives @ 175 deg F: 1134 psi after 24 hours

13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date:

July 15, 2010

Duration:

10 Days

XTO Energy Inc. RBU 7-15E Well Deepening Project to the Dakota Sec 15-10S-19E, UINTAH Co., UTAH (API No. 43-047-32166)

Date: June 16th, 2010

LOCATION ACTIVITIES PRIOR TO FURTHER WELL DEEPENING:

The pit that was utilized when RBU 7-15E was originally drilled will be excavated and re-lined within the original dimensions. This pit will be utilized for deepening this well. The well site will not be expanded beyond the existing disturbance. See attachment depicting location of the original mud pit, which will be identical to the refurbished pit.

INTERIM RECLAMATION:

Construction:

The pit will be closed and re-contoured to approximate the original contour and topographical diversity (i.e. – best management practices) within 90 days of the final completion activities.

The re-spreading of topsoil and re-seeding will be expanded to as close of a proximity as practical to the deadman on the pit side of location only with seeding to occur between August 15th and winter freeze time.

Establishment of Self-Perpetuating Plant Community:

The preferred "Drill Seeding" method of application will be used for reclamation unless site conditions preclude same. In the event that an alternate method (i.e. – broadcasting or hydro-seeding) is dictated, XTO will confer with the BLM Authorized Officer (AO) before proceeding with same.

The interim seed mix for reclamation as below is forwarded to the BLM for consideration and review:

Hy-crest Crested Wheatgrass	Agropyron cristatum	4 lbs per acre
Squirrel tail grass	Sitanion hystrix	4 lbs per acre
Needle and Threadgrass	Stipa comata	4 lbs per acre

MONITORING AND DOCUMENTATION:

Details, post seeding, will be submitted to BLM of the following: Date of Seeding, Seed mixture tag (of seed used -based on BLM recommended seed mix), Age of Seed Mix, Quantity of Seed used (based on BLM recommended seed mix), Weather Conditions at Time of Seeding, Soil Conditions at Time of Seeding, Method of Seeding (drilling -broadcasting - hydro seeding), Special Preparations to Soil and/or Seed at Time of Seeding, and Dated Photo/s (with description of point and trajectory of photo) of reclaimed area.

There will also be Yearly Monitoring of Reclaimed Area with Report (submitted to BLM by Mar 31st of each year until 75 % of basal cover is present) detailing:

- 1. Seed Growth
- 2. Weed Control
- 3. Dated Photo from Original Point and Trajectory
- 4. Any other actions to the reclaimed area including any other BLM prescribed methods of reclamation such as mulching or soil treatments if required on a site specific basis.

XTO Energy -

WELL LCATION PLAT

LOCATE THE SW $\frac{1}{4}$ OF THE NE $\frac{1}{4}$ OF SECTION 15, T10S, R19E, S.L.B.&M.

S 89°34' W 80.52 chs (G.L.O.)



N September 1981 Sept

SCALE: 1"=1000'

LEGEND & NOTES

 Original monuments found and used by this survey.

The General Land Office (G.L.O.) plat was used for reference and calculations, as was the U.S.G.S. map.

SURVEYOR'S CERTIFICATE

I hereby certify that this plat was prepared from field notes of an actual survey performed by me, during which the shown monuments were found or established.

> Jerry D. Afred, Registered Land Surveyor, Cert. No. 3817 (Utah)




JERRY D. ALLRED & ASSOCIATES

Surveying & Engineering Consultants

121 North Center Street P.O. Drawer C DUCHESNE, UTAH 84021 (801) 738-5352

14 Sept '91


79-128-197



WELLBORE DIAGRAM

EXISTING RBU #07-15E

GR: 5148' RKB: 5163'



WELLBORE DIAGRAM

PROPOSED RBU #07-15E DEEPENING

GR: 5148' RKB: 5163'


12-1/4" HOLE 8-5/8", 24#, H-40 CSG @ 366'. CMTD W/224 SX 70/30 CLASS G/POZ. CIRC 10 BBLS CMT TO SURFACE TOC for Primary Cmt Job @ 1500' (Temp Svy) 7-7/8" HOLE Calculated TOC for 4" Csg Cmt Job @ +/- 5200' is 2193' above 5-1/2" Shoe **WASATCH PERFS** Perf'd @ selected intervals fr/5,713' - 6,520' Perforations to be squeezed, drilled out and tested to an 10.0 ppg EMW prior to drilling out 5-1/2" Shoe 5-1/2", 17#, N-80 CSG @ 7,393' (ID = 4.892"). 7-7/8" Hole TD: 7,400' CMTD W/1265 sx (550 sx LEAD & 715 sx TAIL). No CBL. TOC @ 1,500' per Temp. Svy 5-1/4" HOLE cut with RWD bit assembly 4", 10.7# (Nom Wt), L-80, FJ Conn (3.476" ID, 3.351" Drift, 5-1/4" Hole TD: 8,950' 3.351" bored ID in Conn. Casing to be set from Surface to 8950'. This Csg will be cemented from 5200' to TD with 140 sx of CI 'G' 65/35 Poz mixed @13.0 ppg density w/additives.

RECEIVED June 16, 2010

XTO Energy

3M BOP Stack


11/8/2006



XTO	Energy
------------	--------

3M Choke Manifold

11/9/2006



Sundry Number: 13735 API Well Number: 43047321660000

	STATE OF UTAH	· FC			FORM 9
	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MII		i	5.LEAS U-013	E DESIGNATION AND SERIAL NUMBER: 766
SUNDF	RY NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	sals to drill new wells, significantly deepen igged wells, or to drill horizontal laterals. U				or CA AGREEMENT NAME: BEND
1. TYPE OF WELL Gas Well			8. WEL RBU 7	L NAME and NUMBER: -15E	
2. NAME OF OPERATOR: XTO ENERGY INC					NUMBER: '321660000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8			JMBER:		D and POOL or WILDCAT: RAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL				COUNT	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNE Section: 15	P, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian:	S		STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NA	ATURE OF NOTICE, REPORT	, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
_	☐ ACIDIZE		LTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING		CHANGE WELL NAME
6/1/2012	☐ CHANGE WELL STATUS	□ c	COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	□ F	RACTURE TREAT		NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	□р	LUG AND ABANDON		PLUG BACK
_	PRODUCTION START OR RESUME	□ R	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	IDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	☐ TUBING REPAIR	□ v	ENT OR FLARE		WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	□ s	I TA STATUS EXTENSION	1	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	□ 0	OTHER	ОТН	ER:
	MPLETED OPERATIONS. Clearly show all per equests a one (1) year extens referenced well.		of the State APD for th	ne ,	Approved by the Utah Division of I, Gas and Mining 03/23/2011
NAME (PLEASE PRINT) Krista Wilson	PHONE NUMBER 505 333-3647		TITLE Permitting Tech		
SIGNATURE N/A			DATE 3/23/2011		

Sundry Number: 14331 API Well Number: 43047321660000


	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE:	c	FORM 9	
	DIVISION OF OIL, GAS, AND MINING			
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	sals to drill new wells, significantly deepen ougged wells, or to drill horizontal laterals. Us		7.UNIT or CA AGREEMENT NAME: RIVER BEND	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000	
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		E NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNE Section: 15	IP, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: S	S	STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICATI	E NATURE OF NOTICE, REPORT,	OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
,	☐ ACIDIZE	ALTER CASING	CASING REPAIR	
Approximate date work will start:	✓ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	☐ CHANGE WELL NAME	
7/1/2011	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE	
SUBSEQUENT REPORT	☐ DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
Date of Work Completion:	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK	
SPUD REPORT	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
Report Bute.	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy would like to modify the existing drilling plan with respect to the previously approved deepening sundry. Please see attached diagram for specifications. XTO Energy's intent is to leave the Wasatch formation behind pipe during the deepening into the Mesa Verde formation. Once pressures in both formations have come close to equalizing and cross-flow will not occur, the Wasatch formation will be re-opened to allow for the formations to co-mingle. Date: 04/13/2011 By:				
NAME (PLEASE PRINT) Krista Wilson	PHONE NUMBER 505 333-3647	TITLE Permitting Tech		
SIGNATURE		DATE		
N/A		4/11/2011		

Sundry Number: 14331 API Well Number: 43047321660000

WELLBORE DIAGRAM

PROPOSED RBU #07-15E DEEPENING REVISION #2

GR: 5148' RKB: 5163'



Sundry Number: 18759 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDF	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen e igged wells, or to drill horizontal laterals. Uso		7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		E NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI	P, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	☐ CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS ☐ CHANGE WELL STATUS	☐ CHANGE TUBING ☐ COMMINGLE PRODUCING FORMATIONS	☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN [FRACTURE TREAT	□ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	□ PLUG BACK
7	□ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
9/22/2011	☐ TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	☐ APD EXTENSION
	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
	mpleted operations. Clearly show all perting commenced drilling (deepening on 9/22/2011.	g) this well @ 1500 hours A L Oil	
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Barbara Nicol	505 333-3642	Regulatory Compliance Tech	
SIGNATURE N/A		DATE 9/23/2011	

Sundry Number: 19240 API Well Number: 43047321660000

			FORM 9	
	STATE OF UTAH		TORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766	
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	sals to drill new wells, significantly deepen igged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME: RIVER BEND	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000	
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		NE NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNE Section: 15	P, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: \$	5	STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	☐ ALTER CASING	☐ CASING REPAIR	
☐ NOTICE OF INTENT	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
✓ SUBSEQUENT REPORT	✓ DEEPEN	FRACTURE TREAT	□ NEW CONSTRUCTION	
Date of Work Completion: 10/3/2011	OPERATOR CHANGE	PLUG AND ABANDON	□ PLUG BACK	
, ,	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:				
·	☐ REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
DRILLING REPORT	U TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL ☐	
Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy Inc. has completed drilling (deepening) this well per the attached summary report. Please see also the attached Deviation Survey. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY				
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech		
SIGNATURE N/A		DATE 10/5/2011		

Sundry Number: 19240 API Well Number: 43047321660000

Riverbend Unit 07-15E

9/19/2011 6:00:00AM to 9/20/2011 6:00:00AM: MIRU, NU BOPE, Gas Buster, & Bleed Off's. Notified 24 hrs in advance, Jamie Sparger w/BLM, and Dave Hackford w/Utah Div of Oil & Gas, of BOP Tst. TOH 188 Jts of 2 3/8" 4.7#, N-80, EUE 8rd tbg, SN, and MS col. PU and TIH w/Weatherford 5-1/2" RBP, and tbg.

9/20/2011 6:00:00AM to 9/21/2011 6:00:00AM: Cont to TIH w/Weatherford RBP, set @ 5,600'. Load Hole. PT BOPE w/250 psig Low for 5 min & 3000 psig High for 10 min, (Good Test). PT 5-1/2" Csg to 1,500 psi High for 30 min, (Good Test). Chg out drilling line. Release and TOH w/RBP. PU & TIH w/4-3/4" Rock Tooth bit, and 203 jts of 2-3/8" tbg. Tgd 419' of fill @ 6,525', (Btm perf @ 6,520'). RU Pwr Swivel. Establish Circ w/140 bbl heavy LCM pill, let fl cln up @ surf. CO fill fr/6,525' to 7,202'. CO cmt fr/7,202' to 7,255', FC @ 7,307', Shoe @ 7,391'.

9/21/2011 6:00:00AM to 9/22/2011 6:00:00AM: Cont to CO w/4-3/4" Rock Tooth bit, and 2-3/8" tbg fr/7,255' to 7,351'. RD Pwr Swivel. TOH w/288 jts of 2-3/8" tbg, and 4-3/4" bit, found two bad bearings in bit. TIH w/new 4-3/4" Rock Tooth bit, and 228 jts of tbg. RU Pwr Swivel and estab circ. CO fr/7,351' to 7,368'. Circ well cln. LD 3 jts tbg w/pwr swivel. RD Pwr Swivel. TOH LD 2-3/8" tbg (Drpd survey tl). Chg equip over to 2-7/8". TIH w/4-3/4" X 5-5/8" Smith Bi-Center bit, Hunting mtr, and 30 jts of 2-7/8" HWDP.

9/22/2011 6:00:00AM to 9/23/2011 6:00:00AM: TIH w/4-3/4" X 5-5/8" Smith BiCenter bit, X-O, Hunting 3-3/4" Mud mtr, X-O, X-O, 30 jts of 2-7/8" HWDP, and 2-7/8" DP, function tst mtr every 30 jts. RU Pwr Swivel, and Auto Driller. Transfer circ and cond fresh wtr mud while drilling, Vis 45, 8.8 ppg. Drill fr/7,382' to 7,605'.

9/23/2011 6:00:00AM to 9/24/2011 6:00:00AM: Vis 46, 8.9 ppg. Drilling fr/7,605' to 7,882'.

9/24/2011 6:00:00AM to 9/25/2011 6:00:00AM: Vis 46, 8.9 ppg. Drilling fr/7,882' to 7,7964'. Washed out pods in both pmps. TOH, LD Bit and Mtr #1. Tear dwn both pmps. Found two washed pods in each of both pmps. WO welder for repairs.

9/25/2011 6:00:00AM to 9/26/2011 6:00:00AM: Welder determined that the #1 pmp was washed too bad for field repair. Sent #1 pmp to Vernal for repair. Work on #2 pump @ location. TIH w/ BHA #2. Cont to wrk on pmps.

9/26/2011 6:00:00AM to 9/27/2011 6:00:00AM: Cont to wrk on mud pmps. MIRU #2 mud pmp. Function tst mtr @ 5,629'. Cont to TIH w/ BHA #2, circ and function tst mtr @ 7,443', and 7,850'. RU Pwr Swivel. Drill fr/7,964' to 8,092'.

9/27/2011 6:00:00AM to 9/28/2011 6:00:00AM: Drill fr/8,092' to 8,384'. Circ, prep for survey. Ran Deviation survey @ 8,350', 6 deg. Drill fr/8,384' to 8,553'.

9/28/2011 6:00:00AM to 9/29/2011 6:00:00AM: Drill fr/8,553' to 8,558'. Replace Kelly VIv, and wrk on Auto Driller. Drill fr/8,558' to 8,615'. Circ, prep to short trip. RD Pwr Swivel. TOH to 7,412'. Safety Stand Down. TIH. RU Pwr Swivel. Drill fr/8,615' to 8,642'. Wrk on Auto Driller. Drill fr/8,642' to 8,667'. Mix and pmp 20 bbl, 9 ppg pill. RD Pwr Swivel.

9/29/2011 6:00:00AM to 9/30/2011 6:00:00AM: RD Pwr Swivel. TOH w/BHA #2. PU and TIH w/BHA #3. RU Pwr Swivel. Drill fr/8,667' to 8,730'.

9/30/2011 6:00:00AM to 10/1/2011 6:00:00AM: Drill fr/8,730' to 8,904'. TD. Circulate & Condition Hole for open hole logs.

10/1/2011 6:00:00AM to 10/2/2011 6:00:00AM: Circ. well clean. POOH. Run open hole logs w/ Schlumberger. RIH. Circ. hole clean.

10/2/2011 6:00:00AM to 10/3/2011 6:00:00AM: Circ. Condition Hole. POOH LD DP & BHA. PU & Run Casing to 8,883.66'. Circ. & Condition Hole For Cement Job.

10/3/2011 6:00:00AM to 10/4/2011 6:00:00AM: Circ. Condition Hole. MIRU Pro Petro Csg crew. Cmt 4" Ultra FJ Prod. Csg w/Pro Petro pumped 225 sks 50/50 POZ + additives @ 14.3#, 1.26 Yld, 5.75 gal/sk, 58 bbls pumped top of Cmt Est @ 3,277'. RDMO Cmt crew. ND RD & Prep to Move to the RBU 01-21F. (Rig Release @ 2:30 p.m. on 10/03/11).

Sundry Number: 19240 API Well Number: 43047321660000



Directional Survey

Well Name: Riverbend Unit 07-15E

PI/UWI		Location		Field Name		Permit Number		State			ell Configuration Type
13047321660	000	T10S-R19E-9	S15	Natural Buttes				Utah			ertical
Fround Elevation 5,148	(ft)	Casing Flange Ele	evation (ft)	KB-Ground Distance 15.00	(ft)	KB-Casing Flange D	istance (ft)	Spud Da	ate 2/19/1992		g Release Date
Vellbore Name	Original Hole		Parent Wellbore Original Hol			Kick Off Depth (ftKB)			cal Section Dire	ection (°)
)ate	9/22/2011		Definitive?	No		Description Deviation Surve	еу			osed?	No
MD Tie In (ftKB) 7,368	3.00	TVDTie In (ftKB)		Inclination Tie In (°) 1.25		Azimuth Tie In (°)		NSTie II	n (ft)	E/	VTie In (ft)
Survey Data											
Date	MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	VS (ft)	NS (ft)	EW	ft)	DLS (°/100ft)	Method	Survey Company
9/22/2011	7,368.0	0 1.2	5							WLS	TWS #2
9/24/2011	7,857.0	0 3.5	0							WLS	TWS #2
9/27/2011	8.349.0		0							WLS	TWS #2
10/1/2011	8,854.0									WLS	TWS #2
Wellbore Name	Deepen	0.0	Parent Wellbore Original Hol			Kick Off Depth (ftKB	3)		Verti	cal Section Dir	rection (°)
Date			Definitive?	No		Description			Prop	osed?	No
MD Tie In (ftKB)		TVDTie In (ftKB)		Inclination Tie In (°)		Azimuth Tie In (°)		NSTie I	In (ft)	E	WTie In (ft)
Survey Data											
Date	MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	VS (ft)	NS (ft)	EW	(ft)	DLS (°/100ft)	Method	Survey Company

www.peloton.com

Page 1/1

Report Printed: 10/5/2011

Sundry Number: 20013 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDI	RY NOTICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen ex igged wells, or to drill horizontal laterals. Use		7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IP, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
XTO Energy In 10/31/2011: 10/00 GR/CCL/CBL logging CBL under 500 psig fi WLU. Tstd csg to 5	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION OMPLETED OPERATIONS. Clearly show all pertinc.'s monthly report for the perion 5/2011: MIRU CHS WLU, and District the control of the	d of 10/06/2011 to &M Hot Oil Unit. RIH w/ indic TOC @ 3,440'. Ruft logging tls. POH & RDM iler. SWI & SDFN. Rptoil the open hole logs () T	ccepted by the Stah Division of Gas and Mining
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech	
SIGNATURE N/A	JUJ 333-304Z	DATE 11/3/2011	
, · · ·		, -,	

Sundry Number: 20849 API Well Number: 43047321660000

			FORM 9	
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES	c		
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766	
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	sals to drill new wells, significantly deepen e igged wells, or to drill horizontal laterals. Us		7.UNIT or CA AGREEMENT NAME: RIVER BEND	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000	
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		E NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNE Section: 15	P, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: S	5	STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	☐ ACIDIZE	☐ ALTER CASING	CASING REPAIR	
□ NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
11/30/2011	OPERATOR CHANGE	☐ PLUG AND ABANDON	☐ PLUG BACK	
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON	
	TUBING REPAIR TUBING TUBING TEPAIR	VENT OR FLARE	☐ WATER DISPOSAL	
DRILLING REPORT		SI TA STATUS EXTENSION		
Report Date:	_		☐ APD EXTENSION	
	☐ WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: NOV. 2011 MONTHLY	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy Inc. has nothing to report on this well for the period of 11/1/2011				
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE		
Barbara Nicol	505 333-3642	Regulatory Compliance Tech		
SIGNATURE N/A		DATE 12/2/2011		

Sundry Number: 21741 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUND	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen e igged wells, or to drill horizontal laterals. Us		7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		E NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SWNE Section: 15	IP, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	□ CHANGE TO PREVIOUS PLANS □ CHANGE WELL STATUS □ DEEPEN □ OPERATOR CHANGE □ PRODUCTION START OR RESUME □ REPERFORATE CURRENT FORMATION □ TUBING REPAIR □ WATER SHUTOFF □ WILDCAT WELL DETERMINATION OMPLETED OPERATIONS. Clearly show all pertinothing to report on this well for through 12/31/2011.	or the period of 12/1/201 • • • • • • • • • • • • • • • • • • •	
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tech	
SIGNATURE N/A		DATE 1/5/2012	

Sundry Number: 22882 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NM		PHONE NUMBER: 5 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section:	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
7,pp. Oximute date notice and control	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
1/31/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date:		SITA STATUS EXTENSION	
	WILDCAT WELL DETERMINATION	▼ OTHER	OTHER: Jan. 2012 Monthly Rpt
XTO Energy Inc.	COMPLETED OPERATIONS. Clearly show a has nothing to report on this 1/01/2012 through 1/31/20	well for the period of	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 07, 2012
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBE 505 333-3642	Regulatory Compliance Tec	ch
SIGNATURE		DATE 2/6/2012	
N/A		2/6/2012	

Sundry Number: 23525 API Well Number: 43047321660000

	STATE OF UTAH			FORM 9
ι	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MII			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDRY NOTICES AND REPORTS ON WELLS			LLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC				9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NM	M, 87410 505 333-31	PHONE N 45 Ext	UMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section: 1	HP, RANGE, MERIDIAN: I5 Township: 10.0S Range: 19.0E Meri	idian: S		STATE: UTAH
11. CHECH	K APPROPRIATE BOXES TO INDICA	ATE NATUI	RE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	ALTER (CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE	E TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	Соммін	NGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTU	JRE TREAT	NEW CONSTRUCTION
2/29/2012	OPERATOR CHANGE	PLUG A	ND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAN	MATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRA	ACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	☐ VENT O	R FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA ST	FATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER		OTHER: Feb. 2012 Monthly Rpt
		OTHER		·
XTO Energy Inc. I	COMPLETED OPERATIONS. Clearly show has nothing to report on this 2/01/2012 through 2/29/2	s well fo		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 08, 2012
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMB 505 333-3642		LE gulatory Compliance Tec	
SIGNATURE N/A		DA ⁻ 3/5	TE 5/2012	

Sundry Number: 24422 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9	
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766	
SUNDR	SUNDRY NOTICES AND REPORTS ON WELLS			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000	
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NN	M, 87410 505 333-314	PHONE NUMBER: 45 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section: 1	HIP, RANGE, MERIDIAN: I 5 Township: 10.0S Range: 19.0E Merio	dian: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOI	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
3/31/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:		SIDETRACK TO REPAIR WELL		
	REPERFORATE CURRENT FORMATION		☐ TEMPORARY ABANDON	
DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐	
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER: March 2012 Monthly Rpt	
XTO Energy Inc. I	COMPLETED OPERATIONS. Clearly show has nothing to report on this 3/01/2012 through 3/31/2	well for the period of	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 04, 2012	
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMB	EER TITLE Regulatory Compliance Te	ch	
SIGNATURE	505 333-3642	DATE	ы. 	
SIGNATURE N/A		4/4/2012		

Sundry Number: 24422 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9	
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766	
SUNDR	SUNDRY NOTICES AND REPORTS ON WELLS			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E	
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000	
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NN	M, 87410 505 333-314	PHONE NUMBER: 45 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section: 1	HIP, RANGE, MERIDIAN: I 5 Township: 10.0S Range: 19.0E Merio	dian: S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOI	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
3/31/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:		SIDETRACK TO REPAIR WELL		
	REPERFORATE CURRENT FORMATION		☐ TEMPORARY ABANDON	
DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐	
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER: March 2012 Monthly Rpt	
XTO Energy Inc. I	COMPLETED OPERATIONS. Clearly show has nothing to report on this 3/01/2012 through 3/31/2	well for the period of	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 04, 2012	
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMB	EER TITLE Regulatory Compliance Te	ch	
SIGNATURE	505 333-3642	DATE	ы. 	
SIGNATURE N/A		4/4/2012		

Sundry Number: 25228 API Well Number: 43047321660000

			FORM 9
	STATE OF UTAH	-0	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDF	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, N		PHONE NUMBER: 5 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSI	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
☐ NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
✓ SUBSEQUENT REPORT			
Date of Work Completion: 4/30/2012	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: April 2012 Monthly Rpt
12 DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show a	Il nertinent details including dates	
I .	has nothing to report on this		
=	4/01/2012 through 4/30/20		Accepted by the Utah Division of
	, and the second		Oil, Gas and Mining
			FOR RECORD ONLY
			May 15, 2012
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBE 505 333-3642	Regulatory Compliance Tec	ch
SIGNATURE N/A		DATE 5/1/2012	

RECEIVED: May. 01, 2012

Sundry Number: 26326 API Well Number: 43047321660000

	FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047321660000		
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NM		PHONE NUMBER: 5 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 15 Township: 10.0S Range: 19.0E Meridian: S			STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
5/31/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: May 2012 Monthly Rpt
		₩ OTHER	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, on XTO Energy Inc. has nothing to report on this well for the period of 5/01/2012 through 5/31/2012.			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 04, 2012
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBE 505 333-3642	R TITLE Regulatory Compliance Tec	ch
SIGNATURE			
N/A		6/4/2012	

Sundry Number: 27262 API Well Number: 43047321660000

	FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NN		PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section:	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Meridi	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
7,pproximate date not it in otal it	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
6/30/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date:		SITA STATUS EXTENSION	
	WILDCAT WELL DETERMINATION	▼ OTHER	OTHER: June 2012 Monthly Rpt
XTO Energy Inc.	COMPLETED OPERATIONS. Clearly show a has nothing to report on this 6/01/2012 through 6/30/20	well for the period of	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 02, 2012
NAME (DI EASE DDINT)	DUONE NUMBE	.p TITI E	
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBE 505 333-3642	R TITLE Regulatory Compliance Ted	ch
SIGNATURE		DATE 7/2/2012	
N/A		7/2/2012	

RECEIVED: Jul. 02, 2012

Sundry Number: 28255 API Well Number: 43047321660000

STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 87410 505 333-3145 Ext			9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 15 Township: 10.0S Range: 19.0E Meridian: S			COUNTY: UINTAH
			STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	IATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
NOTICE OF INTENT Approximate date work will start: ✓ SUBSEQUENT REPORT Date of Work Completion: 7/31/2012 □ SPUD REPORT Date of Spud: □ DRILLING REPORT Report Date:	OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR	CHANGE TUBING COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT PLUG AND ABANDON RECLAMATION OF WELL SITE SIDETRACK TO REPAIR WELL VENT OR FLARE SI TA STATUS EXTENSION	CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APD EXTENSION
12. DESCRIBE PROPOSED OR	WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all pe	OTHER	OTHER: JULY 2012 MONTHLY RPT
	has nothing to report on this we	ell for the period of	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 07, 2012
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tec	ch
SIGNATURE N/A		DATE 8/1/2012	

Sundry Number: 29918 API Well Number: 43047321660000

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			FORM 9	
			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766	
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND	
1. TYPE OF WELL Gas Well		8. WELL NAME and NUMBER: RBU 7-15E		
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000	
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NA		ONE NUMBER: xt	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNE Section: 15 Township: 10.0S Range: 19.0E Meridian: S			STATE: UTAH	
11. CHECI	CAPPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
✓ SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
8/31/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
_	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	water shutoff	SI TA STATUS EXTENSION	APD EXTENSION	
	■ WILDCAT WELL DETERMINATION ✓	OTHER	OTHER: Aug. 2012 Monthly Report	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy Inc. has nothing to report on this well for the period of 8/1/2012 through 8/31/2012. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 13, 2012				
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBER 505 333-3642	TITLE Regulatory Compliance Tec	h	
SIGNATURE N/A		DATE 9/13/2012		

Sundry Number: 30688 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	oposals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: 382 Road 3100, Aztec, NM	M, 87410 505 333-31	PHONE NUMBER: 45 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section:	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Mer	idian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
9/30/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
 	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
DRILLING REPORT	TUBING REPAIR		☐ WATER DISPOSAL ☐
Report Date:	WATER SHUTOFF	☐ SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	√ OTHER	OTHER: Sept. 2012 Monthly Rpt
l .	COMPLETED OPERATIONS. Clearly show has nothing to report on this 9/1/2012 to 9/30/201	s well for the period of	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 05, 2012
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUM 505 333-3642	BER TITLE Regulatory Compliance Ted	ch
SIGNATURE	300 000 0012	DATE	
N/A		10/5/2012	

Sundry Number: 31452 API Well Number: 43047321660000

	STATE OF UTAH			FORM 9
ı	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		i	5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC				9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,	CO, 80155 303 397		NE NUMBER: Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Me	ridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDIC.	ATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	A	LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS		OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	NEW CONSTRUCTION
10/31/2012	OPERATOR CHANGE	P	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□s	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	Пи	ENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF		I TA STATUS EXTENSION	APD EXTENSION
nopon suio.			TUED.	
	WILDCAT WELL DETERMINATION	• 0	THER	Oct. 2012 Monthly Rpt
	completed operations. Clearly shown has nothing to report on the 10/1/2012 to 10/31/20	is we		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 01, 2012
NAME (PLEASE PRINT)	PHONE NUM	/BER	TITLE	
Barbara Nicol	303-397-3736		Regulatory Compliance Tec	:n
SIGNATURE N/A			DATE 11/1/2012	

Sundry Number: 32726 API Well Number: 43047321660000

	STATE OF UTAH				FORM 9
	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		3	5.LEASE 0	DESIGNATION AND SERIAL NUMBER:
SUNDR	6. IF INDIA	AN, ALLOTTEE OR TRIBE NAME:			
	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or RIVER BI	CA AGREEMENT NAME: END
1. TYPE OF WELL Gas Well				8. WELL N RBU 7-1	AME and NUMBER: 5E
2. NAME OF OPERATOR: XTO ENERGY INC				9. API NUI 430473	MBER: 21660000
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,	CO, 80155 303 397-		NE NUMBER: Ext		ind POOL or WILDCAT: L BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Mer	idian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	RT, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT		NEW CONSTRUCTION
11/30/2012			PLUG AND ABANDON		PLUG BACK
	OPERATOR CHANGE			_	
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL	Π.	TEMPORARY ABANDON
DRILLING REPORT	TUBING REPAIR	□ v	/ENT OR FLARE	□ ·	WATER DISPOSAL
Report Date:	WATER SHUTOFF	∐ s	SI TA STATUS EXTENSION	Ш.	APD EXTENSION
	WILDCAT WELL DETERMINATION	√ d	OTHER	OTHER	Nov. 2012 Monthly Rpt
XTO Energy Inc.	COMPLETED OPERATIONS. Clearly show.'s monthly report for this was 2012 through 11/30/2012	ell fr	om the period of	oil FOR	ccepted by the litah Division of Gas and Mining RECORD ONLY ecember 06, 2012
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUM 303-397-3736	BER	TITLE Regulatory Compliance Tec	:h	
SIGNATURE			DATE		
N/A			12/3/2012		

Sundry Number: 32726 API Well Number: 43047321660000

Riverbend Unit 07-15E

11/1/2012: MIRU frac equip & WLU. Perf MV stg #1 fr/8,732' - 36', 8,758' - 64' & 8,782' - 88' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 33 holes). Dump bail 9 gal 15% HCl ac. Pmp 1,000 gal 15% HCl ac w/52 Bio bls. Fracd MV #1 perfs fr/8,732' - 8,788' w/20,060 gal 50Q N2 fld carrying 23,600# sd. Used 383 MCF N2. Flshd frac w/111 bls gel wtr. Set CBP @ 8,660'. Perf MV stg #2 fr/8,494' - 8,500', 8,514' - 20', 8,534' - 38' & 8,594' - 8,600' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 48 holes). Fracd MV #2 perfs fr/8,494' - 8,600' w/59,039 gal 50Q N2 fld carrying 132,300# sd. Used 1.86 MMCF N2. Flshd frac w/109 bbls gel wtr.

11/2/2012: Set CBP @ 8,470'. Perf MV stg #3 fr/8,145' - 48', 8,348' - 52', 8,369' - 73', 8,410' - 15' & 8,450' - 52' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 41 holes). Pmp 1,000 gal 15% HCl ac w/52 Bio bls. Fracd MV #3 perfs fr/8,145' - 8,452' w/69,456 gal 50Q N2 fld carrying 123,400# sd. Used 1.619 MMCF N2. Flshd frac w/105 bbls gel wtr. Set CBP @ 7,945'. Perf MV stg #4 fr/7,730' - 36', 7,822' - 25' & 7,847' - 50' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 27 holes). Pmp 1,000 gal 15% HCl ac. Fracd MV #4 perfs fr/7,730' - 7,850' w/25,157 gal 50Q N2 fld carrying 70,300# sd. Used 876 MCF N2. Flshd frac w/100 bbs gel wtr. Set CBP @ 7,550'. Perf MV stg #5 fr/7,502' - 7,512' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 21 holes). Had CBP failure during BD. Set repl CBP @ 7,550'. Pmp 1,000 gal 15% HCl ac. Fracd MV #5 perfs fr/7,502' - 7,512' w/24,004 gal 50Q N2 fld carrying 35,940# sd. Used 447 MCF N2. Flshd frac w/95 bbls gel wtr. Set CBP @ 7,300'. RDMO frac equip.

Sundry Number: 33614 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURG DIVISION OF OIL, GAS, AND MII		5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,	CO, 80155 303 397-	PHONE NUMBER: 3727 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Meri	idian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
1/3/2013	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	✓ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		
		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
DRILLING REPORT	TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
XTO Energy Inc. ha Thursday, 1/3/20	completed operations. Clearly showns re-delivered this well to Q 013. This is the first delivery 820 MCFPD. XTO Allocation	luestar @ 1300 hours on y from the Mesaverde	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 04, 2013
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUME 303-397-3736	BER TITLE Regulatory Compliance Ted	ch
SIGNATURE		DATE	
N/A		1/4/2013	

Sundry Number: 33525 API Well Number: 43047321660000

	STATE OF UTAH			FORM 9
ı	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND M			5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDR	RY NOTICES AND REPORTS	S ON W	/ELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC				9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,	CO, 80155 303 397	PHONE 97-3727 E	NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNE Section: 1	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Me	leridian: S		STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE NAT	URE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	☐ ALT	ER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	СНА	NGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	☐ con	IMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRA	CTURE TREAT	NEW CONSTRUCTION
12/31/2012	OPERATOR CHANGE	PLU	G AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	REC	LAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDE	TRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		T OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF		A STATUS EXTENSION	APD EXTENSION
Report Date:		,		
	WILDCAT WELL DETERMINATION	√ отн		OTHER: Dec. 2012 Monthly Rpt
XTO Energy's model 12/31/2012 is as for Cont TIH tbg. DO Returns non-burna prod tbg. Turn we 12/28/2012: Cont Toe pipeling be pipeling to the content of the	COMPLETED OPERATIONS. Clearly shoonthly report for the period of the per	od of 12 w/mill & well ove H work sturns no 74'. Tsto to prod	/1/2012 through & tbg. 12/26/2012: er to flow testers. strng & mill. TIH on-burnable gas. I gas & found it to . RDMO.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 04, 2013
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUI 303-397-3736		TTLE Regulatory Compliance Tec	h
SIGNATURE N/A		D	DATE 1/3/2013	

Sundry Number: 34051 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURG DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,	CO, 80155 303 397-	PHONE NUMBER: 3727 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 15 Township: 10.0S Range: 19.0E Meri	dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
1/5/2013	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT			
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	▼ OTHER	OTHER: PWOPL
	completed operations. Clearly show has dropped BHBS & set to plunger lift on 1/5/2013	operate this well with	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 24, 2013
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUME 303-397-3736	BER TITLE Regulatory Compliance Tec	ch
SIGNATURE	333 331 3133	DATE	-
N/A		1/24/2013	

Sundry Number: 33882 API Well Number: 43047321660000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MINI		5.LEASE DESIGNATION AND SERIAL NUMBER: U-013766
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: RIVER BEND
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: RBU 7-15E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047321660000
3. ADDRESS OF OPERATOR: PO Box 6501 , Englewood,		PHONE NUMBER: 27 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1450 FNL 2450 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 5 Township: 10.0S Range: 19.0E Meridia	an: S	STATE: UTAH
11. CHECK	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN [FRACTURE TREAT	NEW CONSTRUCTION
1/3/2013	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:		7	
	L REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF L	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
XTO Energy Inc. ha	COMPLETED OPERATIONS. Clearly show all some recompleted this well to the per the attached summary reports.	Mesaverde Formation ort.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 31, 2013
NAME (PLEASE PRINT) Barbara Nicol	PHONE NUMBE 303-397-3736	R TITLE Regulatory Compliance Tec	ch
SIGNATURE N/A		DATE 1/16/2013	

Sundry Number: 33882 API Well Number: 43047321660000

Riverbend Unit 07-15E

11/1/2012: MIRU frac equip & WLU. Perf MV stg #1 fr/8,732' - 36', 8,758' - 64' & 8,782' - 88 w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 33 holes). Dmp bail 9 gal 15% HCl ac. Pmp 1,000 gal 15% HCl ac. Fracd MV #1 perfs fr/8,732' - 8,788' w/20,060 gal 50Q N2 fld carrying 23,600# sd. Used 383 MCF N2. Set CBP @ 8,660'. Perf MV stg #2 fr/8,494' - 8,500', 8,514' - 20', 8,534' - 38' & 8,594' - 8,600' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 48 holes). Fracd MV #2 perfs fr/8,494' - 8,600' w/59,039 gal 50Q N2 fld carrying 132,300# sd. Used 1.86 MMCF N2.

11/2/2012: Set CBP @ 8,470'. Perf MV stg #3 fr/8,145' - 48', 8,348' - 52', 8,369' - 73', 8,410' - 15' & 8,450' - 52' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 41 holes). Pmp 1,000 gal 15% HCl ac. Fracd MV #3 perfs fr/8,145' - 8,452' w/69,456 gal 50Q N2 fld carrying 123,400# sd. Used 1.619 MMCF N2. Set CBP @ 7,945'. Perf WA/MV stg #4 fr/7,730' - 36', 7,822' - 25' & 7,847' - 50' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 27 holes). Spearhead 1,000 gal 15% HCl ac. Fracd WA/MV #4 perfs fr/7,730' - 7,850' w/25,157 gal 50Q N2 fld carrying 66,700# sd. Used 876 MCF N2. Set CBP @ 7,550'. Perf WA stg #5 fr/7,502' - 7,512' w/2 JSPF (120 deg phasing, 0.38" EHD, 35 pene., 21 holes). Had plug failure during BD. RIH w/repl CBP & set @ 7,550'. Pmp 1,000 gal 15% HCl ac. Fracd WA #5 perfs fr/7,502' - 7,512' w/24,004 gal 50Q N2 fld carrying 35,940# sd. Used 447 MCF N2. Set CBP @ 7,300'. RDMO frac equip.

12/21/2012: TIH CO BHA & tbg. SWI & SDFHWE.

12/26/2012: DO CBPs & CO fill to PBTD. Turn well over to flow testers. Returns non-burnable gas.

12/27/2012: Cont TOH & LD tbg. TIH prod tbg & BHA. Turn well over to flow testers. Returns non-burnable gas.

12/28/2012: Cont TIH prod tbg. Tstd gas & found it to be pipeline quality. Turn well over to prod. RDMO.

1/3/2013: The River Bend Unit 07-15E was first delivered to Questar through the Riverbend CDP @ 1:00 P.M. on Thursday 1/03/2013. IFR 820 MCFPD.

Form 3160-4 March 2012

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	73
	FORM APPROVED
DOGM	COPY OMB NO. 1004-013
	Expires October 31, 20

to:

	WELI	COMP	LETION O	R RECO	MPLET	ION REF	PORT	AND LO	Ğ			5	. Lease Seria		ra c		
1a. Type	of Well	Oil '	Well 🕱	as Well	☐ Dry	ПOt	her					6	. If Indian, A		or Tribe N	ame	
b. Type	of Completion:					pen Pli		k □ Dif	f.Re	svr.		L					
J J.		Otl			المها							17	Unit or CA	_		e and]	No.
2. Name o	of Operator											18	Lease Nam				
	ergy Inc.												RBU 7-1				
3. Addres			_				3a.	Phone No.			,	9	. API Well N	lo.			
	OX 6501, E		•	0155				303-	397	-372	7	┸	43-047-				
4. Location At surfa	on of Well (Rep				ance with i	Federal red	quirem	ents)*				10	Field and P		_	ry	
At Suita	1,450	FNL 8	2,450' F	EL								11	. Sec., T., R.			d	
At ton n	rod. interval rep	norted held	O33/									' '	Survey or A	rea			
rit top p	ioa. micriar rej	orted ben	OW SAME										SWINE Se		<u>5-T10S-</u>		
At total	depth SAME												County or F	Parish		13.St	tate
14. Date S		Tis Do	te T.D. Reach	- d		Îsc. De	. 0.	1 . 1					INTAH			U	T
)/1992		9/30/2011			16. Dat		<u> </u>	3/2	013	D 1	17	7. Elevations	(DF, 1	RKB, RT,	GL)*	
							D & A	<u> </u>	I Re	eady to	Prod.		5,148' (⊒R.			
18. Total	Depth: MD TVD	8,9	04 19.	Plug Bac	k T.D.: N		8,8	102	2	0. De	pth Bridge	Plu	-				
21 Type I	Electric & Othe	* Maahani	ical Laga Dum	(Carlancia -		VD			-				TV	D			
ZI. Type i	siecuic & Onie	i ivieciiaii	icai Logs Run	(Submit ¢	opy or eac	n)			2		well cored	?	X No	=	Yes (Submit	-	is)
Triple	Combo (10	/1 /11)	: CBT.(10/	6/11)							DST run ctional Sur		X No	=	Yes (Submit	•	
23. Casing	and Liner Rec	ord (Repo	rt all strings s	et in well)						Dire	ctional Sur	vey?	X No		Yes (Submi	t copy)	
Hole Size	Size/Grade	Wt.(#ft.)				Stage Ceme	enter	No.of Sk	° &	<u>-r</u> -	Slurry Vol	_	· · · · · ·		_		
			1 ` ′		ı (MD)	Depth		Type of C	emen		(BBL)		Cement To	op*	Amoı	ınt Pull	ed
2-1/4"	8-5/8"	24#	0	366				224 sks	•				0		ļ		
7-7/8"	5.5"N-80	<u>17#</u>	0	7,3				1,265		-			1,500				
4-3/4"	4" L-80	11.6#	. 0	8,8	84'			225 s	ks				3,440	1			
								 									
								-									
24. Tubing	Record							L							L		
Size		\m\ -						-						_			
2-3/8"	Depth Set (1 8,475		acker Depth (M	D) :	Size	Depth Set	(MD)	Packer De	epth (MD)	Size	\dashv	Depth Set (MD)	Packer	Depth ((MD)
	ing Intervals				7	26. Perfora	ation R	Pecord							_l		
	Formation		Тор	Bot	tom			Interval		5	ize		lo. Holes		Perf. St	otuc	
A) WSTC	(PREV REE	ORTED)	5,713'		20'			6,5201	\dashv		120		10.110103	7.0			4972
B)	WSTC	ULLILLO)	7,502					ENT FOR	DE	DF '	INFO.			AB	Ben	ina 4	4"line
C)	MVRD		7,822		188'	<u> </u>	11		-23	10.	"						
D)			7,022	 	-												
27. Acid, 1	Fracture, Treatr	nent. Cem	ent Squeeze.	 Etc.								_					
	Depth Interval		1					Amount and	Type	e of Ma	terial		RECE	=1\/			
5,71	3' - 6,520	יי	Frac'd	L w/681	.700# o	f 20/40	Fra	c Sand.						L_V_			
	2' - 8,788					FRAC IN		- Donner					JAN 2	5 2 ſ	112	-	
													<u> </u>	. <i>J</i> <u> </u>	713		
												Div	of Oil, G	as X	Mining		
28. Product	ion - Interval A														winning		
Date First	Test	Hours	Test	Oil	Gas	Water	Oil Gr	avity	Gas		Produ	ction	Method				
Produced 1/3/2013	Date 3 1/19/2013	Tested 24	Production	BBL 0	MCF 309	BBL 23	Corr. A	API	Grav					INCHE	RLIFT		
Choke	Tbg. Press.	Csg.	24	Oil	Gas	Water	Gas:		Wel	l Status			- 11	~~~			
Size 60/64'	Flwg. SI 50	Press.	Hr.	BBL O	MCF 309	BBL 23	Ratio	· [m	·	~					
	tion-Interval B	, _			1 202	43	Щ.			Ph	ODUCIN	.					<u> </u>
Date First	Test	Hours	Test	Oil	Gas	Water	Oil Gr	ravity	Gas		Produ	ction	Method				
Produced	Date	Tested	Production	BBL	MCF	BBL	Corr.	API	Grav								
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr.	Oil BBL	Gas MCF	Water BBL	Gas: Ratio		Wel	1 Status			DO	C RA	I CO	D 16	9

28h Product	on Inter-	al C	N. 10	8 . 1	100 m					****
28b.Producti			<u>. 1</u>	<u> </u>			- r			
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method	
Choke Size	Tbg. Press Flwg. SI	S. Csg. Press.	24 Hr.	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status		
28c. Product	tion-Interva	al D					•		· · · · · · · · · · · · · · · · · · ·	
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method	
Choke Size	Tbg. Press Flwg. SI	Csg. Press.	24 Hr.	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	· · · · · · · · · · · · · · · · · · ·	
29. Dispositi	ion of Gas (S	Sold,used for	fuel, vented, e	tc.)		SOLD	<u></u>			
30. Summa	rv of Porou	ıs Zones (Inc	lude Aquifers)):				31 Format	ion (Log) Markers	
Show all	l important z g depth inter	ones of porosit	y and contents t nion used, time t	hereof: C					(20g) Manado	
Format	tion	Тор	Bottom		Descr	intions Co	ontents, etc.		Nome	Тор
		ТОР	Bottom		Desci	iptions, cc	mients, etc.		Name	Meas.Depth
								GREEN R	IVER.	1,292'
								MAHOGEN	BENCH	2,109'
								WASATCH	TONGUE	4,251'
								UTELAND	LIMESTONE	4,615'
	Ì							WASATCH		4,790'
	- 1							MESAVERI	Œ	7,797 '
32. Addition	nal remark	s (include plu	agging proceds	ure):						
22 IV.										
Electr	rical/Mecha	anical Logs (1	nttached by pla I full set req'd nd cement ver)	Geol	appropriat ogic Repor ore Analysi	rt DST Rep		ional Survey	
34. I hereby	certify that	at the foregoin	ng and attache	d informa	ation is cor	nplete and	correct as determ	ned from all avail	able records (see attached	instructions)*
Name (pi	lease print)		A A. NICC					itle <u>REGULAT</u>	ORY COMPLIANCE TE	CHNICIAN
Signature		arba	ra A	1. N	ical	, 		Date <u>01/22/2</u>	013	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RBU 7-15E PERFORATIONS & FRACS

Stage #1: Mesaverde 8732 – 36

8758 - 64

8782 - 88

0.38" EHD, 33 holes

Acidize w/1,000 gal. 15% HCl acid. Frac w/20,060 gal. 50Q Delta 20# N2 fld carrying 19,200# 20/40 White & 4,400# CRC 20/40 sd. Used 383 MCF N2.

Stage #2: Mesaverde 8494 – 8500

8514 - 20

8534 - 38

8594 - 8600

0.38" EHD, 48 holes

Frac w/59,039 gal. 50Q Delta 20# N2 fld carrying 105,200# 20/40 White & 27,100# CRC 20/40 sd. Used 1.86 MCF N2.

Stage #3: Mesaverde 8145 – 48

8348 - 52

8369 - 73

0505 -- 15

8410 - 15

8450 - 52

0.38" EHD, 41 holes

Acidize w/1,000 gal. 15% HCl acid. Frac /69,456 gal. 50Q Delta 20# N2 fld carrying 100,200# 20/40 White & 23,200# CRC 20/40 sd. Used 1.619 MCF N2.

Stage #4: Wasatch 7730 – 36

Mesaverde 7822 – 25

7847 - 50

0.38" EHD, 27 holes

Acidize w/1,000 gal. 15% HCl acid. Frac w/25,157 gal. 50Q Delta 20# N2 fld carrying 53,700# 20/40 White & 13,000# CRC 20/40 sd. Used 876 MCF N2.

Stage #5: Wasatch 7502 - 12

0.38" EHD, 21 holes

Acidize w/1,000 gal. 15% HCl acid. Frac /24,004 gal. 50Q Delta 20# N2 fld carrying 27,360# 20/40 White & 8,580# CRC 20/40 sd. Used 447 MCF N2.

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM

Operator:

XTO ENERGY INC.

Operator Account Number: N 2615

Address:

P.O. BOX 6501

city ENGLEWOOD

state CO zip 80155 Phone Number: (303) 397-3727

Well 1

API Number	Wei	Well Name		Sec Tw		Rng	Rng County		
4304732972	732972 RBU 1-21F		NENE	21	108	20E			
Action Code	Current Entity Number	New Entity Number	Spud Date 11/21/1997		Entity Assignment				
С	07050	7050			97	12/10/2012			
Comments: WST	C = WSMVD			**************************************		1131	113		

Well 2 **API Number Well Name** QQ Sec Twp Rng County 4304732166 **RBU 7-15E SWNE** 15 **10S** 19E **UINTAH Action Code Current Entity New Entity Spud Date Entity Assignment** Number Number **Effective Date** C 7050 2/19/1992 1020 1/3/2013 Comments: WSTC = WSMVD 1131/13

Well 3

Well	Name	QQ Sec Twp			Rng County		
RBU 12-24E	,	NWSW 24 10S New Entity Spud Date Number		108	19E UINTAH		
Current Entity Number				Entity Assignment Effective Date			
7050	7050	5/31/2001			1/10/2013		
D = WSMVD					V	31/13	
	RBU 12-24E Current Entity Number 7050	Current Entity New Entity Number 7050 7050	RBU 12-24E NWSW Current Entity New Entity Number Number S	RBU 12-24E Current Entity Number New Entity Number Number 7050 New Entity Number 5/31/200	RBU 12-24E NWSW 24 10S Current Entity Number New Entity Number Spud Date 7050 7050 5/31/2001	RBU 12-24E NWSW 24 10S #9E Current Entity Number New Entity Number Spud Date Entity Eff 7050 7050 5/31/2001	

ACTION CODES:

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- Re-assign well from one existing entity to a new entity Other (Explain in 'comments' section) RECEIVED

JAN 3 1 2013

BARBARA A. NICOL

Name (Please Print)

REG. COMPLIANCE TECH

1/31/2013

Date

(5/2000)